

# Towards the analysis of team members well-being

Zan Xu, Sari Nurfauliyah, Anastasia Romanova, Kaamesh G S, Yiqun Gao, Maria Spichkova

School of Computing Technologies, RMIT University, Melbourne, Australia  
 maria.spichkova@rmit.edu.au

**Abstract.** Many recent research studies have focused on the well-being of software development team members, as this aspect may be critical not only for productivity and performance at work but also for the physical health and personal life of employees. Many studies agree that an important factor of team member well-being is whether team members feel appreciated and acknowledged for their contributions. This paper presents the results of a project on the team well-being analysis as well as the prototype developed within the project.

**Keywords:** Software Engineering, Usability, Accessibility, Well-being

## 1 INTRODUCTION

Many recent research studies have focused on the well-being of software development team members. The systematic literature review presented by Godliauskas and Šmite [12] highlighted that the topic became more prominent in the last decade. The trend is increasing. For example, between 2000 and 2003, the authors identified only three primary studies, while in the period from 2020 to 2023, they identified seventeen primary studies, indicating an increase of more than five times. The increase in interest in team members' well-being may be partially attributed to the issues observed in 2020/2021 related to COVID-19. The impact of working from home during the pandemic was discussed, for example, by Ford et al. [10], Ralph et al. [22], Juárez-Ramírez et al. [18], Uddin et al. [30], Russo et al. [23], and Oliveira et al. [21].

Since 2020, a larger percentage of software developers report feeling burned out. For example, comparing the annual reports conducted by Mind Share in 2019 and 2021, demonstrates that the percentage of workers who have experienced signs of poor mental wellbeing significantly increased, from 59% to 76%. Mental well-being might impact many aspects, ranging from physical health and personal life (see, e.g., the studies conducted by Tokdemir [29] and Grzywacz et al. [15]) to productivity and performance at work (see, e.g., studies by Graziotin et al. [13] and Woo et al. [34]).

Many studies agree that an important factor of team member well-being is whether team members feel appreciated and acknowledged for their contributions, see, e.g., study by Montes et al. [20]. However, there are currently only very few practical solutions to the issue. It might be very useful to have a tool-supported personalised framework to ensure the team members receive positive feedback and acknowledgement of their results. At the same time, the solution should not create a significant additional workload, as this itself may have a negative impact on well-being.

*Contributions:* This paper presents the results of a project on the team’s well-being analysis. We proposed a well-being platform, ZENith, which aim is to promote transparency around employee well-being by encouraging weekly check-ins and peer recognition through so-called *Kudos*. By capturing regular sentiment data, the platform could help identify early red flags, enabling managers and HR to address dissatisfaction proactively and maintain team well-being.

## 2 RELATED WORK

### 2.1 Perception of mental well-being in software development teams

Wong et al. [33] conducted interviews with software engineers to investigate their perceptions of mental well-being at work. The authors concluded that mental well-being at work should be analysed at three levels: individual, team, and organisational. Our solution goes across all three levels: it provides an organisation-based system supported by the organisational policies, impacts team dynamics as well as takes into account team members’ personalities and individual needs.

Graziotin et al. [13] investigated the potential correlation of affective states (emotions, moods, and feelings) of software developers and their self-assessed productivity. The authors concluded that the affective states of software developers are positively correlated with their self-assessed productivity. These results highlight the need to consider team well-being when planning the organisation’s policies and corresponding activities.

Greiler et al. [14] proposed a framework for improving software developer experience. The authors conducted interviews and analysed developer experience factors, contextual characteristics (such as seniority, personal interests, company goals, etc), barriers to improvements, as well as strategies and coping mechanisms. Lack of incentives was identified as one of the barriers. The incentives might be of very different kinds, where one of them is the acknowledgement of their results and corresponding positive feedback.

Montes et al. [20] conducted a mixed-method cross-country study (a set of 15 interviews and a survey with 76 participants). The authors identified ‘support and recognition’ as one of the core factors influencing the well-being of software developers.

Allen and French [1] conducted a literature review on work-family topics, and highlighted that the work-related mental well-being might affect the individual’s private life and family.

Kurian and Thomas [19] investigated the impact of positive emotions on the performance of software developers. The authors conducted a literature review, the results of which highlighted that frequent experiences of positive emotions might have a positive impact on developers’ performance.

Sampson [24] conducted semi-structured interviews to investigate what factors may influence software practitioners’ experiences and whether these factors influence the work-related performance. ‘Satisfaction and Well-being’ was one of the core factors identified within this study.

Overall, the related works highlight the mental well-being of software developers may have a significant impact on their productivity, while recognition and positive feedback on individual results might have a positive impact on the work-related mental well-being.

## 2.2 Teaching and learning aspects

This project has been conducted within the Teaching and Learning (T&L) initiative proposed at the RMIT University, see [26, 25]. The aim of this initiative is to increase students' exposure to research-related activities and help them gain a better understanding of research methods within a team-based final year project course provided to Bachelor's and Master's students. There are a number of studies on this research area. For example, a framework for teaching Computing Research Methods was introduced by Holz et al. [16]. Some academics proposed to include research projects in the curriculum as an optional activity, e.g., as an additional summer activity, see Weinman et al. [32]. Some academics proposed to include research experience as a compulsory course-based activity even on the undergraduate level, see, e.g., Fernandez [9]. Many studies suggested to include learning of research methods in project-based courses, see, e.g., Host [17].

To encourage the interest of students in research within Software Engineering on undergraduate and postgraduate levels of study, we suggest adding research components to the project-based final year courses as an optional bonus task. We propose having research components as a small activity, corresponding to approx. one week of a full-time study, i.e., to 35-40 hours of related activities. The topics of the research components align with those of the software development projects conducted within the semester as the core assessment activity. As the research components are optional, they aren't marked. Over the past years, this has led to a wide range of topics being covered by various teams, ranging from HCI and autonomous robotic systems (see results presented by Sun et al. [28] and Clunne-Kiely et al. [7]) to the studies on visualisation or security aspects. For example, the research project conducted by George et al. [11] focused on visualising AWS usage. Zhao et al. [35] and Spichkova et al. [27] worked on the visualisation of the CIS benchmark scanning results and on the automation of scanning security vulnerabilities. The study conducted by Christianto et al. [6] focused on visualising the data from vertical transport facilities.

## 3 PROPOSED SYSTEM

We present the core elements of ZENith, a well-being monitoring system that aims to promote transparency around employee well-being. ZENith encourages weekly check-ins and peer recognition through so-called *Kudos*, which can be provided at any time convenient to an employee. By capturing regular sentiment data, ZENith could help identify early red flags, enabling managers and HR to address well-being-related issues proactively.

Figure 1 presents the solution architecture for the proposed system. The architecture is event-driven and totally serverless, which guarantees scalability, affordability, and simplicity of implementation in a variety of settings.

The architecture includes:

- An automated deployment pipeline via CodePipeline, CodeBuild, and CloudFormation/Terraform.
- A frontend hosted on Amazon S3 and delivered via CloudFront.
- A backend consisting of API Gateway, Lambda functions, and Aurora
- MySQL, encapsulated within a VPC for security and scalability.
- Integration with Cognito for user authentication and CloudWatch for monitoring.



- *Manager & Employee Comments* functionality allows users to comment on submitted answers, see Figure 4 for a sample screenshot.
- *Creation of a New Group*. Admins can create a new team group and assign members and managers.
- *Editing of an Existing Group*. Admins can edit the existing team group and reassign members and managers.
- *Check-In Configuration*. Admins can create and customise check-in forms and schedule email reminders, see Figure 5 for the flow chart illustrating this functionality.

Weekly Check In – 05/06/2025

1. Rate the clarity of communication between teams: \*

★★★★★

2. Which teams did you collaborate with this week? \*

☐ Engineering

☐ Product

☒ Marketing

☒ Sales

☐ Research

☐ None

3. What collaboration challenges did you encounter? \*

Enter answer here

← Back Next →

2 of 5 answered

**Fig. 3.** Zenith: Filling out Weekly Check-in

Past Check-in

Submitted: 1 January 1970 at 10:00

1. How was your experience at work this week? ★★★★★ 5/5 [View Replies \(1\)](#)

2. Were you able to take proper breaks?

☐ Always

☒ Sometimes

☐ Rarely


☐ Never

[Collapse Replies](#)

**James Wilson (You)**  
Jan 5, 2025 at 10:27 PM  
Great job!

Add Comment...


**Fig. 4.** Zenith: Commenting on specific check-ins



**Fig. 5.** Flow chart for the functionality 'Check-In Configuration'

The ZENith platform uses a relational database schema designed for clarity, scalability, and seamless integration with Serverless infrastructure. The schema supports user activity such as check-ins, kudos, feedback, and team management, with relationships normalised across logical tables. Highlights include: (1) Normalisation reduces redundancy and promotes maintainability. (2) UUIDs are used as primary keys across all tables, ensuring globally unique identifiers and safe scalability. (3) Role-based access enables secure differentiation of permissions (Employee, Manager, Admin).


The UI design is intuitive and accessible, with user-friendly multi-step check-in forms. We also took into account the findings of our prior research [3, 2, 31] on



**Fig. 6.** Zenith: Manager dashboard

the impact of interface elements on autistic and non-autistic users. Zenith was developed using React and Material UI components for a clean and consistent UX. We adopted aria labels to provide textual descriptions for most UI elements, making Zenith more accessible to users who rely on assistive technologies like screen readers, see, e.g., [8, 4].

The proposed system follows the Web Content Accessibility Guidelines (WCAG) [5]. Figure 7 illustrates how Zenith supports 7.6:1 colour contrast ratio, which exceeds the minimum requirements for web accessibility (WCAG AA) and meets the enhanced standard (WCAG AAA) for normal-sized text.



**Fig. 7.** Live CTA button with overlay confirming AAA compliance

## 4 CONCLUSIONS

Recent research studies have increasingly focused on the well-being of software development team members, as this aspect is critical not only for workplace productivity and performance but also for employees' physical health and personal lives. Research consistently shows that team members' well-being is significantly influenced by their sense of appreciation and acknowledgment for their contributions. In this paper, we presented the core results of a research project on the team well-being analysis. The goal of the project was to develop a platform for analysing the team's well-being. We also present ZENith, a research prototype developed within the project in collaboration with Shine Solutions.

## Acknowledgements

We would like to thank Shine Solutions for sponsoring this project under the research grant PRJ00002626, and especially Branko Minic and Adrian Zielonka for sharing their industry-based expertise and advice.

## References

1. Allen, T.D., French, K.A.: Work-family research: A review and next steps. *Personnel Psychology* **76**(2), 437–471 (2023)
2. Alzahrani, M., Uitdenbogerd, A.L., Spichkova, M.: Human-computer interaction: Influences on autistic users. *Procedia Computer Science* **192**, 4691–4700 (2021)
3. Alzahrani, M., Uitdenbogerd, A.L., Spichkova, M.: Impact of animated objects on autistic and non-autistic users. In: *Proceedings of the 2022 ACM/IEEE 44th International Conference on Software Engineering: Software engineering in society*. pp. 102–112 (2022)
4. Borg, J., Larsson, S., Östergren, P.O.: The right to assistive technology: For whom, for what, and by whom? *Disability & Society* **26**(2), 151–167 (2011)
5. Caldwell, B., Cooper, M., Reid, L.G., Vanderheiden, G., Chisholm, W., Slatin, J., White, J.: Web content accessibility guidelines (WCAG) 2.0. *WWW Consortium (W3C)* **290**(1-34), 5–12 (2008)
6. Christianto, A.J., Chen, P., Walawedura, O., Vuong, A., Feng, J., Wang, D., Spichkova, M.: Software engineering solutions to support vertical transportation. *arXiv preprint arXiv:1712.04652* (2017)
7. Clunne-Kiely, L., Idicula, B., Payne, L., Ronggowarsito, E., Spichkova, M., Simic, M., Schmidt, H.: Modelling and implementation of humanoid robot behaviour. *Procedia computer science* **112**, 2249–2258 (2017)
8. Cook, A.M., Polgar, J.M., Encarnação, P.: *Assistive technologies: Principles & practice*. Elsevier (2019)
9. Fernandez, A.S.: Generalizing the cs course-based undergraduate research experience (cure). In: *Proceedings of the 55th ACM Technical Symposium on Computer Science Education V. 2*. pp. 1642–1643 (2024)
10. Ford, D., Storey, M.A., Zimmermann, T., Bird, C., Jaffe, S., Maddila, C., Butler, J.L., Houck, B., Nagappan, N.: A tale of two cities: Software developers working from home during the covid-19 pandemic. *ACM Transactions on Software Engineering and Methodology (TOSEM)* **31**(2), 1–37 (2021)



11. George, L.C., Guo, Y., Stepanov, D., Peri, V.K.R., Elvitigala, R.L., Spichkova, M.: Usage visualisation for the aws services. *Procedia Computer Science* **176**, 3710–3717 (2020)
12. Godliauskas, P., Šmite, D.: The well-being of software engineers: a systematic literature review and a theory. *Empirical Software Engineering* **30**(1), 35 (2025)
13. Graziotin, D., Wang, X., Abrahamsson, P.: Are happy developers more productive? the correlation of affective states of software developers and their self-assessed productivity. In: *International Conference on Product Focused Software Process Improvement*. pp. 50–64. Springer (2013)
14. Greiler, M., Storey, M.A., Noda, A.: An actionable framework for understanding and improving developer experience. *IEEE Transactions on Software Engineering* **49**(4), 1411–1425 (2022)
15. Grzywacz, J.G., Almeida, D.M., McDonald, D.A.: Work–family spillover and daily reports of work and family stress in the adult labor force. *Family relations* **51**(1), 28–36 (2002)
16. Holz, H.J., Applin, A., Haberman, B., Joyce, D., Purchase, H., Reed, C.: Research methods in computing: What are they, and how should we teach them? In: *Working group reports on ITiCSE on Innovation and technology in computer science education*, pp. 96–114 (2006)
17. Host, M.: Introducing empirical software engineering methods in education. In: *Proceedings 15th Conference on Software Engineering Education and Training (CSEE&T 2002)*. pp. 170–179. IEEE (2002)
18. Juárez-Ramírez, R., Navarro, C.X., Licea, G., Jiménez, S., Tapia-Ibarra, V., Guerra-García, C., Perez-Gonzalez, H.G.: How covid-19 pandemic affects software developers’ wellbeing, and the necessity to strengthen soft skills. *Programming and Computer Software* **48**(8), 614–631 (2022)
19. Kurian, R.M., Thomas, S.: Importance of positive emotions in software developers’ performance: a narrative review. *Theoretical Issues in Ergonomics Science* **24**(6), 631–645 (2023)
20. Montes, C.M., Penzenstadler, B., Feldt, R.: The factors influencing well-being in software engineers: A cross-country mixed-method study. *arXiv preprint arXiv:2504.01787* (2025)
21. Oliveira Jr, E., Leal, G., Valente, M.T., Morandini, M., Prikładnicki, R., Pompermaier, L., Chanin, R., Caldeira, C., Machado, L., De Souza, C.: Surveying the impacts of covid-19 on the perceived productivity of brazilian software developers. In: *Proceedings of the XXXIV Brazilian Symposium on Software Engineering*. pp. 586–595 (2020)
22. Ralph, P., Baltes, S., Adisaputri, G., Torkar, R., Kovalenko, V., Kalinowski, M., Novielli, N., Yoo, S., Devroey, X., Tan, X., et al.: Pandemic programming: How covid-19 affects software developers and how their organizations can help. *Empirical software engineering* **25**(6), 4927–4961 (2020)
23. Russo, D., Hanel, P.H., Altnickel, S., Van Berkel, N.: The daily life of software engineers during the covid-19 pandemic. In: *2021 IEEE/ACM 43rd International Conference on Software Engineering: Software Engineering in Practice (ICSE-SEIP)*. pp. 364–373. IEEE (2021)
24. Sampson, M.G.: Enhancing developer experience: Burnout, resilience, and the digital environment in software engineering. In: *38th International BCS Human-Computer Interaction Conference*. pp. 369–374. BCS Learning & Development (2025)

25. Simic, M., Spichkova, M., Schmidt, H., Peake, I.: Enhancing learning experience by collaborative industrial projects (2016)
26. Spichkova, M., Simic, M.: Autonomous systems research embedded in teaching. In: International Conference on Intelligent Interactive Multimedia Systems and Services. pp. 268–277. Springer (2017)
27. Spichkova, M., Vaish, A., Highet, D.C., Irfan, I., Kesley, K., Kumar, P.D.: GoSecure: Securing Projects with Go. In: 15th International Conference on Evaluation of Novel Approaches to Software Engineering (ENASE) (2020)
28. Sun, C., Zhang, J., Liu, C., King, B.C.B., Zhang, Y., Galle, M., Spichkova, M., Simic, M.: Software development for autonomous and social robotics systems. In: International Conference on Intelligent Interactive Multimedia Systems and Services. pp. 151–160. Springer (2018)
29. Tokdemir, G.: Software professionals during the covid-19 pandemic in turkey: Factors affecting their mental well-being and work engagement in the home-based work setting. *Journal of Systems and Software* **188**, 111286 (2022)
30. Uddin, G., Alam, O., Serebrenik, A.: A qualitative study of developers’ discussions of their problems and joys during the early covid-19 months. *Empirical software engineering* **27**(5), 117 (2022)
31. Uitdenbogerd, A.L., Spichkova, M., Alzahrani, M.: Web-based search: How do animated user interface elements affect autistic and non-autistic users? *arXiv preprint arXiv:2211.11993* (2022)
32. Weinman, J., Jensen, D., Lopatto, D.: Teaching computing as science in a research experience. In: Proceedings of the 46th ACM Technical Symposium on Computer Science Education. pp. 24–29 (2015)
33. Wong, N., Jackson, V., Van Der Hoek, A., Ahmed, I., Schueller, S.M., Reddy, M.: Mental wellbeing at work: Perspectives of software engineers. In: Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems. pp. 1–15 (2023)
34. Woo, J.M., Kim, W., Hwang, T.Y., Frick, K.D., Choi, B.H., Seo, Y.J., Kang, E.H., Kim, S.J., Ham, B.J., Lee, J.S., et al.: Impact of depression on work productivity and its improvement after outpatient treatment with antidepressants. *Value in Health* **14**(4), 475–482 (2011)
35. Zhao, Z., Spichkova, M., Champavat, D., Kulkarni, J.N., Singla, S., Zulkeffi, M.A., Khandelwal, P.: Visualisation for the CIS benchmark scanning results. *arXiv preprint arXiv:2512.11316* (2025)