

Marked point processes intensity estimation using sparse group Lasso method applied to locations of lucrative and cooperative banks in mainland France

Amélie Artis*, Achmad Choiruddin[†]
Jean-François Coeurjolly, Frédérique Letué[‡]

January 1, 2026

Short title. Spatial analysis of banks locations

Acknowledgements. The authors are grateful to students from Master SSD at Univ. Grenoble who helped in collecting data, in particular the banks locations.

Funding statement. The research of JF Coeurjolly and F Letué is supported by Persyval-lab (ANR-11-61 LABX-0025-01).

Data availability statement. Data used in this study are publicly available and may be freely reused, see Artis et al. [2025].

Conflict of interest disclosure and ethics approval statement. The authors declare no conflict of interest and approve the ethics of the journal.

Abstract

In this paper, we model the locations of five major banks in mainland France, two lucrative and three cooperative institutions based on socio-economic considerations. Locations of banks are collected using web scrapping and constitute a bivariate spatial point process for which we estimate nonparametrically summary functions (intensity, Ripley and cross-Ripley's K functions). This shows that the pattern is highly inhomogeneous and exhibits a clustering effect especially at small scales, and thus a significant departure to the bivariate (inhomogeneous) Poisson point process is pointed out. We also collect socio-economic datasets (at the living area level) from INSEE and propose a parametric modelling of the intensity function using these covariates. We propose a group-penalized bivariate composite likelihood method to

*Univ. Grenoble Alpes, CNRS, Sciences Po Grenoble, PACTE, France

[†]Department of Statistics, Institut Teknologi Sepuluh Nopember, Indonesia

[‡]Univ. Grenoble Alpes, CNRS, LJK, France

estimate the model parameters, and we establish its asymptotic properties. The application of the methodology to the banking dataset provides new insights into the specificity of the cooperative model within the sector, particularly in relation to the theories of institutional isomorphism.

keywords: cooperative banks; regional development; geo-referenced data; spatial statistics; point pattern analysis; regularization techniques; composite likelihood.

1 Introduction

The spatial distribution of banks is the outcome of a historical process. This process reveals that local banks established territorial oligarchies in the early 18th century [Plessis, 2000], which were later challenged by the formation of large national banks, such as *Crédit Lyonnais* in 1895. In addition to these family-owned institutions, cooperative banks emerged to offer financial services to individuals who were excluded from the traditional banking system. These local and retail banks were originally created to address the credit needs of workers, self-employed individuals, small farmers, and craftsmen who faced the burden of usury [Gueslin, 1998]. Founded in Europe during the 19th century, cooperative banks were structured around local communities, providing financial solutions managed by and for their members. Today, cooperative banks play a significant role in the banking and financial sector in several European countries. In 2020, they accounted for over 30% of the domestic deposit and loan market in Austria, Finland, France, and the Netherlands [EACB, 2020]. Their funding activities have been noted for producing idiosyncratic knowledge [Artis and Cornée, 2016]. Furthermore, the proximity between lenders and borrowers enhances the availability of credit and reduces default rates [Fisman et al., 2017]. However, as cooperative banking groups increasingly concentrate and consolidate [Ory and Lemzeri, 2012], the distinctive characteristics of cooperative banks seem to be diminishing. This trend distances them from their local communities, which have been essential to their success for many years [Roux, 2019]. The loss of democratic engagement, the rise of universal banking, and the presence of institutional investors in international financial markets raise the question: Do significant differences still exist? Currently, competition and new methods of delivering banking services, particularly digitalization, challenge the importance of a local presence. The digitalization of banking services and the emergence of online banks are intensifying competition as consumer behavior evolves, with local physical presence becoming less of a priority in decision-making. Increased competition and the move toward digital ser-

vices have led to a rationalization of physical locations. However, does this mean that the unique spatial characteristics of banks have been eliminated?

As part of a geographical agenda, this article outlines and examines a mapping of the spatial distribution of cooperative banks and searches for the reasons underlying this point pattern. We develop a spatial analysis to identify the possible existence of regional differentiation between cooperative and non-cooperative banks. Our work raises the following questions: How are lucrative and cooperative banks distributed across mainland France? To what extent is location still a differentiating factor between cooperative and non-cooperative banks? What does the new location landscape look like for cooperative banks? To what extent can current bank locations be explained by socio-economic factors? Are these economic factors still differentiating factors for cooperative banks? We aim to investigate whether a spatial differentiation exists between profit-driven banks and cooperative banks. Analyzing spatial variables offers a relevant research opportunity. Firstly, there have been few studies capable of spatially representing the geographical distribution of banks. Secondly, spatialization is one of the essential conditions of the concept of local banking. Finally, geographical presence is necessary for the production of idiosyncratic knowledge, which relies on geographical proximity [Artis and Cornée, 2016].

2 Literature review and research questions

Since the establishment of the single European market, the convergence of interest rates and the introduction of the universal banking model have led to the dismantling of geographical restrictions in the banking sector. This shift has prompted banks to expand their networks and standardize their offerings, with centralization reducing the autonomy of local branches. Consequently, the central argument of this analysis is that these changes have led banks to shift their strategic focus toward larger markets, thereby reducing their emphasis on local concerns.

For cooperative banks, the number and location of branches have traditionally been central to their strategic differentiation. Cooperative banks have their origins in local communities, arising out of the lack of a conventional banking system in France [Artis, 2013]. This historical context suggests a distinct spatial configuration [Le Corroller, 2019], where the banks' operations were tailored to the needs and dynamics of their local environment. Our first hypothesis posits that spatial differentiation may still be present in the current distribution of bank branches, and it seeks to compare the spatial patterns of cooperative and for-profit banks. Further hypotheses aim to examine the

underlying factors that explain this spatial distribution.

Literature on the relationship between the banking system and regional development highlights several key issues: Whether local banking systems contribute to local economic growth; Differences in the spatial configurations of banking networks; The factors that influence the decision to maintain or withdraw a local banking presence. The characteristics of local banking markets are important for local economies, especially in regard to small and medium-sized enterprises (SMEs). Geographic distances between banks and businesses affect access to credit, with small businesses particularly impacted by such distances. Presbitero et al. [2014] show that most loans are contracted locally, reinforcing the importance of proximity. Similarly, Liberti and Mian [2008] and Agarwal and Hauswald [2010] argue that a shorter geographical distance between the information-gathering agent and the loan officer enhances the collection and utilization of soft information about potential borrowers. In contrast, Mian [2006] suggests that greater distances complicate contract renegotiations and reduce the likelihood of successful loan recovery.

Alessandrini et al. [2009] further emphasizes the significance of local credit markets for financing small borrowers and fostering local economic development. Reydet [2019] identifies emerging branch models that blend high digitalization with physical presence, aiming to sustain a geographical network of locations.

In the Italian context, Papi et al. [2017] explores the geography of banking organizations, focusing on how geographical distances influence the banking sector. The study identifies three types of distance: (i) operational distance, defined as the distance between the borrower and the bank branch; (ii) functional distance, which refers to the distance between the branch and the bank’s headquarters; and (iii) interbank distance, which denotes the distance between borrowers and competing banks. By applying the theory of banking centers and peripheries, Papi et al. [2017] demonstrates that these geographical distances significantly impact lending decisions and interbank competition.

Much of the existing literature supports the argument that smaller banks possess a comparative advantage in lending to SMEs [Artis and Cornée, 2016]. The presence of a local bank that prioritizes relationship banking and utilizes soft information has been shown to positively influence local economic activity. According to Hasan et al. [2019], the development of local bank branch networks plays a vital role in stimulating economic activity, particularly in the local labor market. According to this literature, our second hypothesis appears to examine whether banks are still close to their clients, distinguishing between households and SMEs.

For a long time, the spatial distribution of banks was guided by local market theory

[Radecki, 1998], which posits that customers—both businesses and households—primarily consume banking services based on geographical proximity. In addition to this proximity, the distribution of banks also follows the logic of customer segmentation. Mutual banks, such as *Crédit Mutuel* and *Crédit Agricole*, have historically focused on meeting the needs of farmers and small businesses [Artis and Cornée, 2016]. They tend to establish branches close to their members and customers. In contrast, major banking networks like *BNP Paribas* and *Société Générale* develop urban branches to attract a diverse customer base while maintaining regional decision-making centers. Radecki [1998] argues that the spatial distribution of banks is now driven more by organizational logic from the supply side rather than by customer behavior on the demand side. This shift implies the disappearance of local markets and the obsolescence of the local bank model, including cooperative banks as the archetypal representation of local banks. These changes in banks’ offerings suggest that the previously distinct spatial distribution among banks has diminished. In these analyses, the organizational specifics of banks, such as their cooperative principles and rules, are not treated as significant explanatory variables. Algeri et al. [2022] investigate the impact of spatial dependence on the technical efficiency of small cooperative banks in Italy. They explore the idea of spatial dependence, suggesting that banks within a specific geographical region can influence one another. For cooperative banks, their findings reaffirm that geographical proximity is critical to bank performance. Our third hypothesis is that supply-side factors are more important for explaining the spatial distribution of cooperative banks.

3 Methodologies

In our analysis, we focus on the case of France for theoretical and empirical reasons. First there has been a large and strong cooperative banking sector for two centuries. Then, the French banking and financial sector is considered to be well-established, offering comprehensive coverage and stable banking and financial companies, as well as an effective regulatory system. Finally, there are homogeneous and longitudinal statistical data produced by the National Statistical Institute.

The French banking system consists of two distinct groups of banks, which differ significantly in their historical development, business models, organisational structures, and scale. The first group, referred to as lucrative banks, includes institutions organised as joint-stock companies or as branches of foreign credit institutions operating nationwide branch networks. The second group comprises only cooperative banks, which are structured by regional clusters and are owned by their members. The six largest French bank-

ing groups (BNP Paribas, BPCE, Crédit Agricole, Crédit Mutuel, La Banque Postale and Société Générale) account for 82% of the total balance sheet of the entire French banking sector and are considered systemic by the regulator [ACPR, 2024]. In the last quarter of 2018, cooperative banks managed more than €159 billion in demand deposits from individuals, representing more than 40% of total deposits. Cooperative banks finance approximately 41% of consumer loans to residents (Web Stat, Banque de France). Our method is original in terms of the work done.

At the level of the social economy, including cooperatives, works use the combination of cluster analysis with multiple factor analysis (MFA), e.g. in Italy [Picciotti et al., 2014] or in France [Artis et al., 2020]. For cooperative banks, spatial distribution structures the activity and value chain of the cooperative, as well as its governance [Triboulet et al., 2013]. For example, Triboulet et al. [2013] characterise the location patterns of agricultural cooperatives in France for 1995 and 2005 in order to better understand the determinants of their spatial organisation. They use the ESDA tools to construct a very detailed local typology of the specific location patterns of agricultural cooperatives, and then analyse the explanatory factors using multinomial logit modelling. Our analysis consists of two parts:

- (a) *Non parametric spatial analysis of locations of bank branches (lucrative and cooperative banks).* The objective is to investigate first the inhomogeneous nature over the French territory of locations of lucrative and cooperative banks and second an eventual dependence between locations of two lucrative banks, between two cooperative ones and between one of each. To achieve these tasks, we collected exact GPS locations of 2 lucrative banks (BNP, Société Générale) and 3 cooperative ones (Banque Populaire, Crédit Agricole, Crédit Mutuel) in mainland France, as of 01/01/2022. These five banks cover 92% of bank clients in France (as of 2023). Locations have been obtained using GPS transformations of banks addresses collected using web scraping. This results in 3,448 lucrative banks and 11,244 cooperative ones.
- (b) *Modelling of the intensity of each bank branch.* The objective is to propose a bivariate parametric modelling of the intensity function of lucrative and cooperative banks in terms of demographic, social and economic factors. We rely on a dataset collected by INSEE as of 01/01/2022 at the living area spatial resolution (in total 1681 living areas). This dataset, after transformations taking into account the compositional nature of some covariates [Aitchison, 1982], results in eleven spatial covariates: three of them, tagged as demographic covariates, describe the popula-

tion by ages and their recent evolution, four covariates tagged as social covariates are related to the standard of living, rate of poverty, rate of activity. Finally, four covariates describe the economical tissue. We also collect the density population by living area. The objective of this study is to detect factors that positively or negatively influence the presence/absence of cooperative or lucrative banks.

To achieve this, we created the first database of geographical coordinates for five banking networks in France. While this is straightforward for lucrative banks, which have centralised management of their development across the country, this data does not exist in a consolidated form for cooperative banks, which manage their development on a regional basis, as autonomous banks. We then used data produced by the National Statistics Agency to document the differences between household and business customers, specify the types of businesses (e.g. SMEs and industry) and identify the sources of income and social inequality.

The rest of the paper is structured as follows. Section 4 provides first a background on spatial point processes and investigate non parametric first and second-order intensity functions for the dataset of locations of banks. This section concludes that both cooperative and lucrative banks are highly inhomogeneously distributed and exhibit a dependence structure—both within each type and between the two types of banks, that cannot be explained solely by inhomogeneity. Accordingly, Section 5 investigates a parametric specification of the intensity functions for the two bank types (using an exponential family model), incorporating three groups of spatial covariates: (i) demographic characteristics, (ii) indicators of living standards and poverty/activity rates, and (iii) measures of the local economy. Given, the nature of these covariates and the bivariate multitype characteristic of the dataset, we propose to estimate the parameters using a new methodology based on a sparse group lasso penalization of the Poisson likelihood (a standard composite likelihood method). Section 6 then presents the numerical implementation of the method on the banks dataset, reports the empirical results, provides a discussion, and concludes the analysis. Finally, Appendices A–B provide formal justification for the simplicity of the proposed implementation and establish convergence results, demonstrating that the method is consistent and reliably selects informative covariates when the amount of data increases.

4 Spatial point processes and non parametric considerations

4.1 Background and notation

In this manuscript, we use the convention $\{[(\dots)]\}$ for the order of brackets. By nature, the number of banks as well as their locations are unknown before collecting the data. Therefore, the dataset of locations of banks is viewed as the realization of a bivariate spatial point process observed on, say $W \subset \mathbb{R}^2$, representing the mainland French territory. Spatial point processes are now well-studied stochastic models and we refer the interested reader by a theoretical presentation to Møller and Waagepetersen [2003] or by a more practical one to Baddeley et al. [2015]. In particular, the latter discusses the implementation of point pattern analysis in R.

Let \mathbf{X}_ℓ and \mathbf{X}_c be the two point processes for lucrative and cooperative banks modelling these data. Their realization are of the form

$$\mathbf{x}_\ell = \{x_{i,\ell}, i = 1, \dots, n_\ell\} \quad \text{and} \quad \mathbf{x}_c = \{x_{i,c}, i = 1, \dots, n_c\}$$

where $x_{i,\ell}, x_{i,c} \in W$ denote the locations of a lucrative or cooperative bank with total respectively $n_\ell = 3,448$ and $n_c = 11,244$. We let ρ_ℓ and ρ_c denote the respective intensity function of each type of bank. This is defined for $\bullet = \ell, c$ by $\rho_\bullet(x) = \lim_{dx \rightarrow 0} \mathbb{E} N_\bullet(B(x, dx)) / |dx|$ where $N_\bullet(A)$ is the number of points of type \bullet falling into $A \subset \mathbb{R}^2$. Roughly speaking, the intensity function measures the mean local of points per unit area. The higher the intensity at a location x , the most likely a bank should occur at x . A point process is said to be inhomogeneous if the intensity function varies across space.

In addition to the inhomogeneity nature of data, we could be interested in the dependence between two points (banks). To measure a departure to the Poisson point process which is the standard process modelling points (possibly inhomogeneous) without any interaction, spatial statistical literature provides many standard summary functions. Among them, we find the pair correlation or cross-pair correlation function, their integrated versions named as the (inhomogeneous) Ripley's K function and cross- K function or the (inhomogeneous) recentered L and cross- L functions (which are simple transformations of K functions), see Baddeley et al. [2015] for a definition of these quantities. The interest of these summary functions is that they measure within a distance say r whether there is a significant departure to the independence case. For example, let \tilde{L}_ℓ , \tilde{L}_c and $\tilde{L}_{c,\ell}$ be the inhomogeneous recentered L -function (and cross- L function) for

lucrative and cooperative banks. If $\tilde{L}_{\bullet}(r) > 0$ (resp. $\tilde{L}_{\bullet}(r) < 0$), this suggests a significant clustering (resp. repulsive) effect, independently of the inhomogeneity, between two banks of type \bullet within distance r . In the same way, $\tilde{L}_{c,\ell}(r) > 0$ reflects the fact that, within distance r , one type of bank influences positively the occurrence of the other one.

4.2 Non parametric estimation of first and second-order characteristics

Figures 1-2 summarize this part and explore first and second-order characteristics of the bivariate point process. In Figure 1, we compute a kernel density estimation of the intensity function. We consider adaptive smoothing bandwidths (using a 16x16 spatial pixel grid for the bandwidth spatial function and a Gaussian kernel) according to the inverse-square-root rule of Abramson [1982]. Even if three times more cooperative banks are observed, we clearly notice large differences in terms of spatial distribution between the two types of banks. Lucrative banks are clearly concentrated in Ile-de-France and the largest cities (Lille, Lyon, Marseille, Toulouse, Bordeaux) while cooperative banks aim at covering more territory especially in the Brittany, Alsace-Lorraine and the Région Centre.

Figure 2 explores second-order properties and represents empirical inhomogeneous recentered L -functions for each type of bank and cross L -function between the two types of banks. The solid line represents the estimate for which the preliminary estimation of the intensity function has been integrated. Envelopes have been constructed under the inhomogeneous Poisson assumption using the global envelopes testing machinery proposed by Myllymäki et al. [2017]. We use the extreme rank length criterion and 999 simulations under the null assumption. Red dots correspond to distances where a significant departure to the Poisson assumption is observed. It is unambiguous to conclude that first cooperative and lucrative banks exhibit a quite strong clustering effect, especially at small distances, that is not explained by their inhomogeneity. In the same way, the cross L -function at small distances shows that two banks different type tend to occur more likely than under the independent case. This reveals a co-clustering at small scales.

5 Parametric intensity estimation

We now turn to the main core of this study which is to model ρ_{\bullet} for $\bullet = c, \ell$ using covariates observed at the living area level. To make this paper more general, we recode 1 = c and 2 = ℓ respectively for cooperative and lucrative banks (so that we can consider




Figure 1: Adaptive intensity estimates obtained from kernel method with standard edge correction, for cooperative and lucrative banks. Locations of banks (in red) are super-imposed on the intensity estimate.

higher dimension than bivariate point process).

For computational arguments we consider the following exponential family model for each function

$$\rho_i(x; \boldsymbol{\beta}_i) = d(x) \exp \left\{ \boldsymbol{\beta}_i^\top \mathbf{z}_i(x) \right\} \quad (1)$$

where $\mathbf{z}_i(x) = \{z_j(x)\}_{j=1, \dots, b_i}$ represents the vector of spatial covariates at location $x \in W$ related to cooperative (for $i = 1$) and lucrative banks (for $i = 2$). These covariates are discussed later. The vector $\boldsymbol{\beta}_i = \{(\boldsymbol{\beta}_i)_1, \dots, (\boldsymbol{\beta}_i)_{b_i}\}^\top \in \mathbb{R}^{b_i}$ represents the parameter vector of interest for cooperative banks when $i = 1$ and for lucrative banks when $i = 2$. We let $(\mathbf{z}_i)_1(x) = 1$ for any x , so that $(\boldsymbol{\beta}_i)_1$ represents the intercept term for the bank of type i . Note that all these covariates are actually piecewise-constant over space, as they are measured at the living area level. Finally, the covariate $d(\cdot)$ represents population density at location x , observed at the living-area level. We include $d(\cdot)$ as a baseline function, as our primary objective is to compare the two types of banks with respect to socio-economic factors rather than population concentration.

We can also rewrite (1) as a marked point process intensity model

$$\rho[\{(x, i); \boldsymbol{\beta}\}] = d(x) \prod_{j=1}^2 \exp \left\{ \delta_{ij} \times \boldsymbol{\beta}_j^\top \mathbf{z}_j(x) \right\} \quad (2)$$




Figure 2: Solid lines represent estimates of $L_{\bullet}(r) - r$ (for $\bullet = c, \ell$) and $L_{c,\ell}(r) - r$ [Baddeley et al., 2015]. Envelopes represent 95% global envelopes constructed using the extreme rank length method [Myllymäki et al., 2017] under the inhomogeneous Poisson assumption. Red dots indicate distances for which a significant departure to the independence assumption is observed.

where $x \in W$ and $i \in \{1, 2\}$ where $\delta_{ij} = 1$ when $i = j$ and 0 otherwise.

The covariates we consider for our dataset application are categorized into demographic, social and economic. Firstly, we select demographic covariates, such as age. Age is indeed a marker of banking behaviour linked to changes in working life. For example, people over the age of 65 tend to have more assets or savings than younger people. Conversely, young people often follow their parents' lead when opening their first bank account. The age criterion is also examined to understand the shift from physical to online banks (Ngau et al., 2023; Tesfom et al., 2011).

- (i) *demographic covariates. evolution*: recent evolution in percentage of the total population in the living area; `prop16.24`, `prop25.64` and `prop65.more`: proportion of inhabitants in the living area between 16 and 24 years old, etc. To deal with these compositional data we consider the additive log ratio transform - alr [Aitchison, 1982] taking the last variable as the reference one. The transformed variables are $\log(\text{prop16.24}/\text{prop65.more})$ and $\log(\text{prop25.64}/\text{prop65.more})$.

According to previous work, we select social covariates to qualify the income distribution (poverty and activity) and another to qualify social inequality (median and decile ratio) by local zone. These two sets of covariates are chosen to explain the segmentation of

bank clients and document the influence of the demand side.

- (ii) *social covariates*. **median**, **decile.ratio**: median, inter-decile ratio of the standard of living in the living area; **activity**, **non.activity**, **poverty**, **non.poverty**: activity and poverty rates in the living area and their complement to 1. Again we use the alr transform and consider the variables $\log(\text{activity}/\text{non.activity})$ and $\log(\text{poverty}/\text{non.poverty})$.

The third set of covariates, the economic covariates, aims to describe the types of businesses and forms of employment present in a given area. This information helps banks understand their customers better. Therefore, we select relevant economic covariates to help us qualify the area, such as the importance of SMEs and the types of work in the local economy.

- (iii) *economic covariates*. **prop.industry**: proportion of positions in industry; **prop.public**: proportion of positions in public administration, teaching, health or social action; **prop.trade**: proportion of positions in trade, transport or commercial sector; **prop.agri**: proportion of workers in the farming sector plus proportion of positions in the construction sector ¹. These four variables sum to 1 and are thus transformed using the alr transform, which yields the three variables $\log(\text{prop.industry}/\text{prop.agri})$, $\log(\text{prop.public}/\text{prop.agri})$ and $\log(\text{prop.trade}/\text{prop.agri})$; the last two covariates are **prop.1to9** and **prop10.more**: proportion of companies with 9 or less employees, resp. more than 10 employees. These covariates are transformed using the log ratio transform into the single covariate $\log(\text{prop.1to9}/\text{prop10.more})$

Thus we come up with three demographic covariates, four social ones and four economic ones, illustrated in Figure 3. To estimate (2), we have therefore for each mark 1 and 2, one intercept parameter and eleven parameters corresponding to spatial covariates. Therefore, $\beta_i \in \mathbb{R}^{b_i}$ with $b_i = 12$ for $i = 1, 2$ and so $\beta \in \mathbb{R}^p$ with $p = \sum b_i = 24$. It is worth mentioning that we consider the same set of covariates for both marks but the methodology presented hereafter could be reproduced for more general situations.

From the non parametric analysis produced in Section 4.2, the bivariate point process is highly inhomogeneous and cannot be modelled by a bivariate inhomogeneous Poisson point process. These comments lead us to consider a composite likelihood method to estimate β_ℓ and β_c as we do not intend to fully model the bivariate point process

¹The notation **prop.agri** is justified by the fact that the proportion of positions in the construction sector is negligible compared to the proportion of workers in the farming sector




Figure 3: Spatial representation of covariates described in Section 4 in mainland France. The spatial resolution is the living area (1681 living areas).

making an eventual use of maximum likelihood estimation unfeasible. Univariate composite likelihoods for intensity estimation has a long history [Waagepetersen and Guan, 2009, Coeurjolly and Lavancier, 2019, Choiruddin et al., 2021]. The simplest method is to use the Poisson likelihood which remains efficient even if the underlying process is not the Poisson model (which is the current situation here). Recent developments include regularized techniques [Choiruddin et al., 2018, 2024] which can be applied in high-dimensional context (using a Lasso-type regularization) or with strongly correlated covariates (using a ridge penalty for instance). A contribution of the present paper is to investigate multivariate regularized estimation.

A separate exploratory analysis on the covariates has shown first that all of them seem to bring some information in the explanation of the presence/absence of a bank in a given living area and second that several covariates are highly correlated. Also, it could make sense to impose a condition on a whole set of parameters and in particular on covariates belonging to the same group, for example by imposing that the estimates for one group are shrunk to zero while keeping the possibility to select or not a feature using a Lasso type penalty. Such a penalty is called multivariate sparse group Lasso in the literature for generalized linear models (GLMs) [Li et al., 2015, Liang et al., 2022].

In the current application we consider three groups of important features: covariates (i), (ii), (iii) for lucrative and cooperative banks, so in total six groups. As a consequence, we propose to estimate $\beta = (\beta_c^\top, \beta_\ell^\top)^\top = (\beta_1^\top, \beta_2^\top)^\top$ as the maximum of $Q(\beta)$, viewed as a penalized version of log-Poisson likelihood of the bivariate point process $\mathbf{X} = (\mathbf{X}_c, \mathbf{X}_\ell)$. The composite likelihood denoted by $\ell(\beta)$ is given by

$$\begin{aligned}\ell(\beta) &= \sum_{i=1}^2 \left\{ \sum_{x \in \mathbf{X}_i} \log \rho_i(x; \beta_i) - \int_W \rho_i(x; \beta_i) dx \right\} \\ &= \sum_{y \in \mathbf{Y}} \log \rho(y; \beta) - \int_{W \times \mathcal{M}} \rho(y; \beta) dy\end{aligned}\tag{3}$$

where $\mathbf{Y} = \{(\mathbf{X}, i)_j, j = 1, \dots\}$ represents the marked point process of all banks with type $i = 1, 2$, where $\mathcal{M} = \{1, 2\}$ and where we abuse notation by denoting by dy the Lebesgue measure times the counting one. Then, the normalized and regularized version $Q(\beta)$ are given by

$$Q(\beta) = \mu^{-1} \ell(\beta) - \sum_{g=1}^G \lambda^g \|\beta^g\| - \sum_{l=1}^p \lambda_l |\beta_l|.\tag{4}$$

In the definition of Q , we normalize $\ell(\beta)$ by $\mu = \mathbb{E}\{N(W \times \mathcal{M})\} = \int_{W \times \mathcal{M}} \rho(y; \beta^*) dy$ where β^* stands for the true parameter vector. The quantity μ plays the role of the sample size in this marked point process framework. Normalizing the likelihood by the sample size is also the convention considered by Friedman et al. [2010] for GLMs. The notation G stands for the number of groups ($G = 6$ in our application). In addition β^g is the vector of parameter corresponding to covariates of group g . For instance, $\beta^1 = \{(\beta_c)_j, j = 2, \dots, 4\}$, $\beta^2 = \{(\beta_\ell)_j, j = 2, \dots, 4\}$, \dots , $\beta^6 = \{(\beta_\ell)_j, j = 9, \dots, 12\}$. The parameters λ^g and λ_l are non-negative real numbers called regularization parameters. In (4), the first penalty term tends to shrink all covariates belonging to the same group while the second one corresponds to the more standard adaptive Lasso penalty. We agree that from a practical point of view μ is unknown but it is worth pointing out that maximizing Q is equivalent to maximizing μQ with λ^g, λ_l replaced by new parameters $\check{\lambda}^g = \mu \lambda^g$ and $\check{\lambda}_l = \mu \lambda_l$.

Since the intensity function ρ has an exponential form with baseline function $d(\cdot)$, then by exploiting the fact that all covariates are observed at the living area level (remind that the number of living areas is denoted by J), we have the following proposition.

Proposition 1. *Maximizing $\ell(\beta)$ is equivalent to maximizing the log-likelihood of two independent Poisson regressions with length J , with the canonical log link and with offset term $(\log \nu_j)_{j=1, \dots, J}$ where ν_j is the total number of inhabitants in the j th living area. Therefore, the maximization of Q results in the maximization of a sparse group Lasso bivariate Poisson regression.*

A consequence of Proposition 1 is that we can follow Friedman et al. [2010] and Liang et al. [2022], which implement various (adaptive) regularized versions of GLMs with exponential family models using coordinate descent algorithm. Finally, our asymptotic result, namely Theorem 1, presented in Appendix B shows that the estimate $\hat{\beta}$ maximizing $Q(\beta)$ is, on the one hand, consistent when the average number of points μ increases and, on the other hand, satisfies an oracle property [e.g. Fan and Li, 2001], that is $\mathbb{P}(\hat{\beta}_l = 0) \rightarrow 1$ for any l such that $\beta_l = 0$. In other words, the procedure correctly identifies the covariates which are non informative.

6 Results and discussion

We model the distribution of lucrative and cooperative banks in the mainland France with respect to two intercept terms one for each type of bank, and twelve (transformed) spatial covariates consisting of demographic, social, and economic factors.

For the tuning of regularization parameters λ^g and λ_l , we extend a strategy developed by Zou and Zhang [2009], Zhang et al. [2010] and in particular used by Choiruddin et al. [2018] in the adaptive lasso case, combined with the default implementation of the sparse group lasso by Liang et al. [2022]. We let $\lambda^g = (1 - \alpha)\lambda/\|\hat{\beta}_{\text{no}}^g\|$ and $\lambda_l = \alpha\lambda/|(\hat{\beta}_{\text{no}})_l|$ where $\hat{\beta}_{\text{no}}$ is a preliminary estimate of β , obtained without any regularization term. As recommended by Liang et al. [2022], we let $\alpha = 0.05$. The last parameter λ is obtained by minimizing the BIC criterion [see Choiruddin et al., 2018]. We randomly divide data into two sets (training set and validation set) with length $n/3$ and $2n/3$. The training dataset is used to tune the parameter λ and to define the set of informative variables, i.e. the variables for which the estimated parameters are non zero. This step allows us to avoid 5 covariates for the second step represented by dots centered at 0 in Figure 4: `evolution` for cooperative and lucrative banks, `log(activity/non.activity)`, `log(prop.industry/prop.agri)` and `log(prop1to9/prop.10toMore)`, for lucrative banks. The lack of evidence for the variable `evolution` confirms the findings of previous studies, which suggest that the spatialization of banks is no longer demand-driven. Similarly, the distinction between agricultural and industrial workers is no longer relevant, given the decline in the number of agricultural workers in France.

For the second step, we perform a bivariate Poisson regression on the validation dataset. We estimate the standard errors of the remaining $24-5=19$ covariates using the covariance estimator developed by Coeurjolly and Guan [2014] and construct 90% asymptotic confidence intervals (assuming a Gaussian distribution) for all parameters.

Demographic covariates facilitate analysis of potential differences based on household demand. The results indicate minimal differentiation overall. Both types of banks exhibit similar trends across all variables. Population trends do not reveal significant differences. The proportion of the working population relative to the senior population negatively affects both types of banks, with a stronger effect observed for cooperative banks. Additionally, the proportion of young people within the senior population is more positively associated with cooperative banks. Social covariates were selected to refine the income- and distribution-based analysis of demand. Both cooperative and for-profit banks exhibit positive responses to variables associated with median income and poverty levels. Cooperative banks demonstrate a stronger positive relationship with poverty. In terms of income inequality, cooperative banks are more influenced by this variable, while profit-making banks remain relatively neutral. With respect to the relationship between activity and non-activity, profit-making banks display limited




Figure 4: Dots represent point estimates of parameters for each variable and each type of bank. Segments correspond to 90% (asymptotic) confidence intervals. Dots centered at 0 mean that the related covariate is not selected by the sparse group lasso procedure.

sensitivity, whereas cooperative banks exhibit positive sensitivity. Finally, economic covariates reveal more significant differences. The proportion of employees in industry versus agriculture is not a differentiating factor. While this is important for cooperative banks, the decline of agriculture in the French economy may explain why this variable has little influence. The proportion of SMEs distinguishes between the two networks: it has a fairly neutral influence on profit-making banks, but a negative influence on cooperative banks. The two types of bank have opposite effects on the final two variables. Profit-making banks are positively influenced by the presence of employees in the trade sector, while cooperative banks are negatively influenced. The latter are positively influenced by employees in the public sector.

These results demonstrate that, in line with our hypotheses, the spatialization of two types of banks can still be explained by customer segmentation on the demand side. Demographic distribution is no longer relevant, but the distribution of household income, the composition of the productive fabric, and job distribution remain informative and are sources of differentiation. However, these results do not corroborate our hypotheses regarding the supply side, in contrast to the demand side findings. The introduction of new parameters has instead solidified our understanding of how the spatialization of these two types of banks differs beyond what our supply-side hypotheses predicted.

We end this section with Figure 5 which represents the fitted intensities for cooperative and lucrative banks. This figure confirms our main hypothesis of different spatialization between the two types of bank. Integrating parametric dimensions enables us to link this differentiation to elements of demand in relation to income distribution, employment characteristics, and the local productive fabric.

7 Conclusion

The following discussion addresses the gaps that have been identified in the extant literature, specifically with regard to the intersection between the literature on the evolution of the banking sector and that on banking geography. The present study has been undertaken to examine the question of whether, by studying the spatialization of cooperative and profit-making banks, it is still possible to observe differences and test their origins. The expansion of digital commercial offerings by banking institutions does not appear to have resulted in a significant alteration of their spatialization. The search for proximity, materialised by the presence of branches, remains essential for resolving information asymmetries and producing idiosyncratic knowledge. The present contributions are twofold, in that they are both theoretical and methodological in nature.




Figure 5: Parametric intensity estimate for each type of bank. Model corresponds to (4). Parameters are estimated using the sparse group lasso procedure. Red dots correspond to locations of cooperative or lucrative banks.

The demonstration is made of the persistence of differentiated spatialization between these two types of banks, which is explained by variables characterising the clienteles of these types of banks. For the first time, we propose a comparative spatial analysis based on unpublished data constructed during this research. It was not possible to corroborate the hypothesis that organisational changes (supply logic) had an influence on the spatialization of banks. This remains an area of research that requires further consolidation.

A Proof of Proposition 1

Proof. Decompose the observation domain $W = \cup_{j=1}^J \mathcal{A}_j$ where \mathcal{A}_j is the j th living area with volume $|\mathcal{A}_j|$. The baseline density function d and all covariates are constant over \mathcal{A}_j and we let $d_j = d(x)$, $\mathbf{z}_1(x) = \mathbf{z}_{1,j}$ and $\mathbf{z}_2(x) = \mathbf{z}_{2,j}$ for any $x \in \mathcal{A}_j$. Note that $\nu_j = d_j |\mathcal{A}_j|$. With these notation, we simply observe that the likelihood $\ell(\beta)$ can be

rewritten as

$$\begin{aligned}
\ell(\boldsymbol{\beta}) &= \sum_{i=1}^2 \sum_{j=1}^J \left[\sum_{x \in \mathbf{X}_i \cap \mathcal{A}_j} \boldsymbol{\beta}_i^\top \mathbf{z}_i(x) - \int_{\mathcal{A}_j} d(x) \exp \left\{ \boldsymbol{\beta}_i^\top \mathbf{z}_i(x) \right\} dx \right] \\
&= \sum_{i=1}^2 \sum_{j=1}^J \left\{ \sum_{x \in \mathbf{X}_i \cap \mathcal{A}_j} \boldsymbol{\beta}_i^\top \mathbf{z}_{i,j} - \int_{\mathcal{A}_j} d_j \exp \left(\boldsymbol{\beta}_i^\top \mathbf{z}_{i,j} \right) \right\} \\
&= \sum_{i=1}^2 \sum_{j=1}^J \left\{ N_{i,j} \boldsymbol{\beta}_i^\top \mathbf{z}_{i,j} - \nu_j \exp(\boldsymbol{\beta}_i^\top \mathbf{z}_{i,j}) \right\} \\
&= \sum_{i=1}^2 \sum_{j=1}^J \left[N_{i,j} \log \left\{ \nu_j \exp(\boldsymbol{\beta}_i^\top \mathbf{z}_{i,j}) \right\} - \nu_j \exp(\boldsymbol{\beta}_i^\top \mathbf{z}_{i,j}) \right] - \sum_{i=1}^2 \sum_{j=1}^J N_{i,j} \log \nu_j. \quad (5)
\end{aligned}$$

Up to a term independent of $\boldsymbol{\beta}$, the first double sum of (5) precisely corresponds to the likelihood of two independent Poisson regressions with the canonical link and with offset term $(\log \nu_j)_{j=1, \dots, J}$. \square

B Asymptotic result

We slightly extend the setting of Section 5. Assume we observe a multivariate point process $\mathbf{X} = (\mathbf{X}_1, \dots, \mathbf{X}_M)$ with length M (the application to the banks dataset corresponds to the case $M = 2$) defined in \mathbb{R}^d and observed in a bounded domain $W \subset \mathbb{R}^d$. Unambiguously, we can also consider \mathbf{Y} the point process $\cup \mathbf{X}_i$, marked with the random discrete mark in $\mathcal{M} = \{1, \dots, M\}$. We assume that the intensity of \mathbf{Y} has the parametric form given by (1)-(2) where $d(\cdot)$ is some baseline function, $\boldsymbol{\beta}_i, \mathbf{z}_i(x) \in \mathbb{R}^{b_i}$ are respectively the parameter of interest and the vector of spatial covariates which can be either piecewise constant or more general.

We let $\boldsymbol{\beta} = (\boldsymbol{\beta}_1^\top, \dots, \boldsymbol{\beta}_M^\top)^\top$ and $p = \sum_{i=1}^M b_i$ denote the full parameter vector and its length. For, $I \subseteq \{1, \dots, p\}$, we let $\boldsymbol{\beta}_I = (\beta_l)_{l \in I}$. Let $I_0 = \{l : \beta_l = 0\}$, $i_0 = \#I_0$, $I_1 = \{l : \beta_l \neq 0\}$ and $i_1 = \#I_1$. We also assume some extra information allowing us to group covariates z_l for $l = 1, \dots, p$. Consider the partition $\{1, \dots, p\} = \cup_{g=1}^G \mathcal{G}_g$ where \mathcal{G}_g are disjoint sets with cardinality γ_g . We use the notation $\boldsymbol{\beta}^g = \boldsymbol{\beta}_{\mathcal{G}_g} = (\beta_l)_{l \in \mathcal{G}_g}$ and finally we let $\Gamma_0 = \{g : \mathcal{G}_g \cap I_1 = \emptyset\}$ and $\Gamma_1 = \{1, \dots, G\} \setminus \Gamma_0$; Γ_0 represents the sets of groups for which all coefficients are inactive, ie equal to 0. We estimate $\boldsymbol{\beta}^*$, the true parameter vector with the sparse group lasso procedure given by (3)-(4). The parameters λ^g for $g = 1, \dots, G$ and λ_l for $l = 1, \dots, p$ are non negative regularization parameters and we allow them to be stochastic.

Our framework, stated by (C.1), means that the average number of points increases with some index, say n . This setting includes the standard infill and increasing domain asymptotic frameworks, see Coeurjolly et al. [2025] for a detailed discussion. In the rest of this section, W , μ , β , β^* , $\hat{\beta}$, $\ell(\beta)$, $Q(\beta)$, p , i_0 , i_1 , γ_g , ℓ depend on n . We avoid the notational dependence on n to ease the reading. Our asymptotic results depend on the following conditions:

$$(C.1) \quad \mu \rightarrow \infty \text{ as } n \rightarrow \infty.$$

$$(C.2) \quad p^4/\mu \rightarrow 0 \text{ as } n \rightarrow \infty \text{ and}$$

$$\begin{aligned} \sup_{x \in \mathbb{R}^d} |d(x)| &< \infty, \quad \sup_{n \geq 1} \sup_{l=1, \dots, p} \sup_{x \in \mathbb{R}^d} |z_l(x)| < \infty, \\ \int_{W \times \mathcal{M}} \int_{W \times \mathcal{M}} \rho(y; \beta) \rho(y'; \beta) [g(y, y') - 1] dy dy' &= O(\mu) \\ \inf_{n \geq 1} \inf_{\phi \in \mathbb{R}^p} \mu^{-1} \phi^\top \{-\ell^{(2)}(\beta^*)\} \phi &> 0 \\ \sum_{i=1}^M \int_W \|\mathbf{z}(x)\|^q \rho\{(x, i); \beta\} dx &= O_P(p^{q/2} \mu) \end{aligned}$$

for $q = 1, 3$ and for any $\beta \in \mathbb{R}^p$ such that $\|\beta - \beta^*\| = O_P(\sqrt{p/\mu})$.

$$(C.3) \quad \text{As } n \rightarrow \infty$$

$$\left(\max_{l \in I_1} \lambda_l \right) \sqrt{\frac{i_1 \mu}{p}} = o_P(1) \quad \text{and} \quad \left(\max_{g \in \Gamma_1} \lambda_g \right) \sqrt{\frac{\left(\sum_{g \in \Gamma_1} \gamma_g \right) \mu}{p}} = o_P(1).$$

$$(C.4) \quad \text{As } n \rightarrow \infty$$

$$\left(\frac{1}{\inf_{l \in I_0} \lambda_l} \right) \sqrt{\frac{p^2}{\mu}} = o_P(1).$$

Condition (C.2) is very specific to the composite likelihood $\ell(\beta)$. This condition is an extension of the one considered by Coeurjolly et al. [2025] for univariate Poisson likelihood. It allows us to prove Lemma 1 establishing the consistency of $\ell^{(1)}(\beta^*)$. Finally, Conditions (C.3)-(C.4) are specific to the sparse group lasso penalty introduced in this paper and provide the necessary compromise to be considered, in order to ensure first, the consistency of $\hat{\beta}$ and second, an oracle type property.

Lemma 1. Under (C.1)-(C.2), the following statements hold.

(i) For any $\beta \in \mathbb{R}^p$ such that $\|\beta - \beta^*\| = O_P(\sqrt{p/\mu})$

$$\|\ell^{(1)}(\beta^*)\| = O_P(\sqrt{p\mu}) \quad \text{and} \quad \frac{\partial \ell}{\partial \beta_l}(\beta) = O_P(p\sqrt{\mu}). \quad (6)$$

(ii) For any $\mathbf{k} \in \mathbb{R}^p$ (with $\|\mathbf{k}\| \leq K < \infty$) and $t \in (0, 1)$,

$$\mu^{-1} \mathbf{k}^\top \{-\ell^{(2)}(\beta^*)\} \mathbf{k} \geq \alpha \quad \text{and} \quad \mu^{-1} \mathbf{k}^\top \left\{ \ell^{(2)}(\beta^* + t\mathbf{k}\sqrt{p/\mu}) - \ell^{(2)}(\beta^*) \right\} \mathbf{k} = o_P(1). \quad (7)$$

Proof. (i) Using the marked point process formalism, the score function of the composite likelihood writes

$$\ell^{(1)}(\beta) = \sum_{y=(x,i) \in \mathbf{Y}} \mathbf{z}(x) - \sum_{i=1}^M \int_W \mathbf{z}(x) \rho\{(x, i); \beta\} dx$$

By Campbell theorem [Møller and Waagepetersen, 2003], $E\{\ell^{(1)}(\beta^*)\} = 0$ and

$$\begin{aligned} \text{Var}\left\{\ell^{(1)}(\beta^*)\right\} &= \int_{W \times \mathcal{M}} \mathbf{z}(x) \mathbf{z}(x)^\top \rho(y, \beta^*) dy \\ &\quad + \int_{W \times \mathcal{M}} \int_{W \times \mathcal{M}} \rho(y; \beta^*) \rho(y'; \beta^*) [g(y, y') - 1] dy dy'. \end{aligned}$$

By (C.1)-(C.2), we have that $\|\text{Var}\{\ell^{(1)}(\beta^*)\}\| = O(p\mu)$ since in particular $\|\mathbf{z}(x)\|^2 = O(p)$ for any $x \in \mathbb{R}^d$. We deduce that $\|\ell^{(1)}(\beta^*)\| = O_P(\|\text{Var}\{\ell^{(1)}(\beta^*)\}\|^{1/2}) = O_P(\sqrt{p\mu})$. For the second part of (6), using again Campbell Theorem, (C.2) and Taylor expansion we have for some $\tilde{\beta} = \beta + t(\beta^* - \beta)$ for $t \in (0, 1)$

$$\begin{aligned} \left| E\left\{ \frac{\partial \ell}{\partial \beta_l}(\beta) \right\} \right| &\leq \int_{W \times \mathcal{M}} |z_l(x)| \{ \rho(y; \beta) - \rho(y; \beta^*) \} dy \\ &\leq \kappa \int_{W \times \mathcal{M}} \|\mathbf{z}(x)\| \|\beta - \beta^*\| \rho(y; \tilde{\beta}) dy \\ &= O_P(p\sqrt{\mu}). \end{aligned}$$

Using the same tools, we can check that $\text{Var}\left\{ \frac{\partial \ell}{\partial \beta_l}(\beta) \right\} = O(\mu)$ whereby we deduce the result.

(ii) The first part directly ensues from the last assumption of (C.2). The sensitivity

matrix at β writes

$$-\ell^{(2)}(\beta) = \sum_{i=1}^M \int_W \mathbf{z}(x) \mathbf{z}(x)^\top \rho\{(x, i); \beta\} dx$$

Let $\Delta(\mathbf{k})$ be the second part term of (7). Using a Taylor expansion and (C.2) we have, by denoting $\tilde{\beta} = \beta + st\mathbf{k}\sqrt{p/\mu}$ for $s \in (0, 1)$

$$\begin{aligned} \|\Delta(\mathbf{k})\| &\leq \mu^{-1} \sum_{i=1}^M \int_W \|\mathbf{z}(x)\|^2 \|st\mathbf{k}\sqrt{p/\mu}\| \|\mathbf{z}(x)\| \rho\{(x, i), \tilde{\beta}\} dx \\ &\leq K\sqrt{p\mu} \sum_{i=1}^M \int_W \|\mathbf{z}(x)\|^3 \rho\{(x, i), \tilde{\beta}\} dx \\ &= O_P\left(\sqrt{\frac{p^4}{\mu}}\right) = o_P(1). \end{aligned}$$

□

Theorem 1. Let $\hat{\beta} = \operatorname{argmax}_{\beta} Q(\beta)$. Assume that the conditions (C.1)-(C.4) hold, then (i) $\hat{\beta} - \beta^* = O_P(\sqrt{p/\mu})$ and (ii) $P(\hat{\beta}_{I_0} = 0) \rightarrow 1$ as $n \rightarrow \infty$.

Proof. (i) Let $\mathbf{k} \in \mathbb{R}^p$ and $\Delta(\mathbf{k}) = Q(\beta^* + \sqrt{p/\mu}\mathbf{k}) - Q(\beta^*)$. The consistency result is proved if one proves that for given $\varepsilon > 0$, there exists K such that for n large enough $P\{\sup_{\|\mathbf{k}\|=K} \Delta(\mathbf{k})\} \leq \varepsilon$. Decompose $\Delta(\mathbf{k}) = T_1 + T_2 + T_3$ with

$$\begin{aligned} T_1 &= \mu^{-1} \left\{ \ell(\beta^* + \sqrt{p/\mu}\mathbf{k}) - \ell(\beta^*) \right\} \\ T_2 &= \sum_{g=1}^G \lambda^g \left(\|\beta^{g,*}\| - \|\beta^{g,*} + \sqrt{p/\mu}\mathbf{k}^g\| \right) \\ T_3 &= \sum_{l=1}^p \lambda_l \left(|\beta_l^*| - |\beta_l^* + \sqrt{p/\mu}k_l| \right) \end{aligned}$$

where we use the notation $\mathbf{k} = (k_l)_{l \in \{1, \dots, p\}}$ and $\mathbf{k}^g = (k_l)_{l \in \mathcal{G}_g}$. From Lemma 1, there exists $\alpha > 0$ (independent of \mathbf{k} and n) such that

$$T_1 = \frac{1}{\mu} \sqrt{\frac{p}{\mu}} \mathbf{k}^\top \ell^{(1)}(\beta^*) - \frac{\alpha}{2} \frac{p}{\mu} \|\mathbf{k}\|^2 + R_1$$

for n large enough, with $R_1 = o_P(p/\mu)$. Regarding the term T_3 , we have

$$\begin{aligned} T_3 &\leq \sum_{l \in I_1} \lambda_l \left(|\beta_l^*| - |\beta_l^* + \sqrt{p/\mu} k_l| \right) \\ &\leq \left(\max_{l \in I_1} \lambda_l \right) \sqrt{\frac{p}{\mu}} \sum_{l \in I_1} |k_l| \\ &\leq \left(\max_{l \in I_1} \lambda_l \right) \sqrt{\frac{p}{\mu}} \sqrt{i_1} \|\mathbf{k}\|. \end{aligned}$$

Finally, for the term T_2 we proceed similarly to derive (for n large enough)

$$\begin{aligned} T_2 &\leq \sum_{g \in \Gamma_1} \lambda^g \left(\|\beta^g\| - \|\beta^{g,*} + \sqrt{p/\mu} \mathbf{k}^g\| \right) \\ &\leq 4 \left(\max_{g \in \Gamma_1} \lambda^g \right) \sqrt{\frac{p}{\mu}} \sum_{g \in \Gamma_1} \|\mathbf{k}^g\| \\ &\leq 4 \left(\max_{g \in \Gamma_1} \lambda^g \right) \sqrt{\frac{p}{\mu}} \left(\sum_{g \in \Gamma_1} \gamma_g \right)^{1/2} \|\mathbf{k}\|. \end{aligned}$$

Thus for n large enough

$$Q(\mathbf{k}) \leq \frac{1}{\mu} \sqrt{\frac{p}{\mu}} \mathbf{k}^\top \ell^{(1)}(\beta^*) \mathbf{k} - \frac{\alpha}{2} \frac{p}{\mu} \|\mathbf{k}\|^2 + \omega$$

with

$$\omega = R_1 + 4K \left(\max_{g \in \Gamma_1} \lambda^g \right) \sqrt{\frac{\left(\sum_{g \in \Gamma_1} \gamma_g \right) p}{\mu}} + K \left(\max_{l \in I_1} \lambda_l \right) \sqrt{\frac{i_1 p}{\mu}}$$

whereby we deduce that for n large enough

$$\mathbb{P} \left\{ \sup_{\|\mathbf{k}\|=K} \Delta(\mathbf{k}) \right\} \leq \mathbb{P} \left(L \geq \frac{\alpha}{2} K \sqrt{p\mu} \right)$$

where $L = \|\ell^{(1)}(\beta^*)\| + \mu \sqrt{\frac{\mu}{p}} \omega$. By condition (C.3), $\omega = o_P(p/\mu)$. This and (6) show that $L = O_P(\sqrt{p\mu})$ which ends the proof since we can choose K large enough.

(ii) Following (i), the pioneering work by Fan and Li [2001] and the more recent work by Coeurjolly et al. [2025] (for point process intensity estimation), the result is proved if one proves that for any $\beta \in \mathbb{R}^p$ such that $\|\beta_{I_1} - \beta_{I_1}^*\| = O_P(\sqrt{p/\mu})$, we have for any

$l \in I_0, \kappa > 0$ and $\varepsilon = \kappa\sqrt{p/\mu}$

$$\frac{\partial Q}{\partial \beta_l}(\boldsymbol{\beta}) < 0 \text{ for } 0 < \beta_l < \varepsilon \quad \text{and} \quad \frac{\partial Q}{\partial \beta_l}(\boldsymbol{\beta}) > 0 \text{ for } -\varepsilon < \beta_l < 0.$$

We consider the first statement as the other one follows along similar lines. Let $\gamma : \{1, \dots, p\} \rightarrow \{1, \dots, G\}$ be the function given by $\gamma(l) = \sum_{g=1}^G g \mathbf{1}(l \in \mathcal{G}_g)$. We have

$$\begin{aligned} \frac{\partial Q}{\partial \beta_l}(\boldsymbol{\beta}) &= \frac{1}{\mu} \frac{\partial \ell}{\partial \beta_l}(\boldsymbol{\beta}) - \lambda_l \text{sign}(\beta_l) - \sum_{g=1}^G \lambda^g \frac{\beta_l}{\|\boldsymbol{\beta}^g\|} \mathbf{1}(l \in \mathcal{G}_g) \\ &= \frac{1}{\mu} \frac{\partial \ell}{\partial \beta_l}(\boldsymbol{\beta}) - \lambda_l \text{sign}(\beta_l) - \lambda^{\gamma(l)} \frac{\beta_l}{\|\boldsymbol{\beta}^{\gamma(l)}\|} \\ &\geq \frac{1}{\mu} \frac{\partial \ell}{\partial \beta_l}(\boldsymbol{\beta}) - m(\boldsymbol{\beta}) \end{aligned}$$

where $m(\boldsymbol{\beta}) = \inf_{l \in I_0} \left(\lambda_l + \lambda^{\gamma(l)} \frac{\beta_l}{\|\boldsymbol{\beta}^{\gamma(l)}\|} \right)$. The lower-bound of $m(\boldsymbol{\beta})$, uniform in $\boldsymbol{\beta}$, is $\inf_{l \in I_0} \lambda_l$. Thus, we have

$$\mathbb{P} \left\{ \frac{\partial Q}{\partial \beta_l}(\boldsymbol{\beta}) < 0 \right\} \geq \mathbb{P} \left\{ \frac{\partial \ell}{\partial \beta_l}(\boldsymbol{\beta}) \leq \mu \inf_{l \in I_0} \lambda_l \right\}.$$

From Lemma 1 and in particular (6), the result follows if $(\inf_{l \in I_0} \lambda_l) \sqrt{\mu/p^2} \rightarrow \infty$, which ensues from condition (C.4). \square

References

- I. S. Abramson. On bandwidth variation in kernel estimates-a square root law. *The Annals of Statistics*, 10(4):1217–1223, 1982.
- A. ACPR. Rapport annuel. Technical report, Banque de France, 2024.
- S. Agarwal and R. Hauswald. Distance and private information in lending. *The Review of Financial Studies*, 23(7):2757–2788, 2010.
- J. Aitchison. The statistical analysis of compositional data. *Journal of the Royal Statistical Society: Series B (Methodological)*, 44(2):139–160, 1982.
- P. Alessandrini, A. F. Presbitero, and A. Zazzaro. Global banking and local markets: a national perspective. *Cambridge Journal of Regions, Economy and Society*, 2(2): 173–192, 2009.

- C. Algeri, L. Anselin, A. F. Forgione, and C. Migliardo. Spatial dependence in the technical efficiency of local banks. *Papers in Regional Science*, 101(3):685–717, 2022.
- A. Artis. Finance solidaire et système financier: une approche historique. *Revue internationale de l'économie sociale*, 329(1):65–78, 2013.
- A. Artis and S. Cornée. Composition, interprétation et mémorisation du savoir idiosyncrasique dans la banque solidaire. *Systèmes d'information et Management*, 21(3):93–131, 2016.
- A. Artis, B. Roger, and D. Rousselière. Facteurs d'implantation de l'ESS dans les territoires: proposition pour une nouvelle modélisation. *RECMA*, 4(358):53–71, 2020.
- A. Artis, J.-F. Coeurjolly, and F. Letué. Cross-referenced data on five banks locations in mainland France and demographic, social and econometric factors on the living area spatial resolution. Recherche Data Gouv, 2025. URL <https://doi.org/10.57745/VVMZTN>.
- A. Baddeley, E. Rubak, and R. Turner. *Spatial point patterns: methodology and applications with R*. CRC press, 2015.
- A. Choiruddin, J.-F. Coeurjolly, and F. Letué. Convex and non-convex regularization methods for spatial point processes intensity estimation. *Electronic Journal of Statistics*, 12(1):1210–1255, 2018.
- A. Choiruddin, J.-F. Coeurjolly, and R. Waagepetersen. Information criteria for inhomogeneous spatial point processes. *Australian & New Zealand Journal of Statistics*, 63(1):119–143, 2021.
- A. Choiruddin, T. Yuni Susanto, A. Husain, and Y. Mega Kartikasari. kppmenet: combining the kppm and elastic net regularization for inhomogeneous Cox point process with correlated covariates. *Journal of Applied Statistics*, 51(5):993–1006, 2024.
- J.-F. Coeurjolly and Y. Guan. Covariance of empirical functionals for inhomogeneous spatial point processes when the intensity has a parametric form. *Journal of Statistical Planning and Inference*, 155:79–92, 2014.
- J.-F. Coeurjolly and F. Lavancier. Understanding spatial point patterns through intensity and conditional intensities. *Stochastic Geometry: Modern Research Frontiers*, pages 45–85, 2019.

- J.-F. Coeurjolly, I. Ba, and A. Choiruddin. Regularization techniques for inhomogeneous (spatial) point processes intensity and conditional intensity estimation. *ESAIM: Proceedings and Surveys*, 80:2–16, 2025.
- EACB. Key statistics - financial indicators, 2020.
- J. Fan and R. Li. Variable selection via nonconcave penalized likelihood and its oracle properties. *Journal of the American statistical Association*, 96(456):1348–1360, 2001.
- R. Fisman, D. Paravisini, and V. Vig. Cultural proximity and loan outcomes. *American Economic Review*, 107(2):457–492, 2017.
- J. Friedman, T. Hastie, and R. Tibshirani. Regularization paths for generalized linear models via coordinate descent. *Journal of statistical software*, 33(1):1, 2010.
- A. Gueslin. *L'invention de l'économie sociale: idées, pratiques et imaginaires coopératifs et mutualistes dans la France du XIXe siècle*. FeniXX, 1998.
- I. Hasan, K. Jackowicz, O. Kowalewski, and L. Kozłowski. The economic impact of changes in local bank presence. *Regional Studies*, 53(5):644–656, 2019.
- C. Le Corroller. Géographie économique de l'économie sociale: une cartographie contemporaine des modèles du XIXe siècle. *RECMA*, 351(1):81–100, 2019.
- Y. Li, B. Nan, and J. Zhu. Multivariate sparse group lasso for the multivariate multiple linear regression with an arbitrary group structure. *Biometrics*, 71(2):354–363, 2015.
- X. Liang, A. Cohen, A. S. Heinsfeld, F. Pestilli, and D. J. McDonald. sparsegl: An R package for estimating sparse group lasso. *arXiv preprint arXiv:2208.02942*, 2022.
- J. M. Liberti and A. R. Mian. Estimating the effect of hierarchies on information use. *The Review of Financial Studies*, 22(10):4057–4090, 2008.
- A. Mian. Distance constraints: The limits of foreign lending in poor economies. *The Journal of Finance*, 61(3):1465–1505, 2006.
- M. Myllymäki, T. Mrkvička, P. Grabarnik, H. Seijo, and U. Hahn. Global envelope tests for spatial processes. *Journal of the Royal Statistical Society Series B: Statistical Methodology*, 79(2):381–404, 2017.
- J. Møller and R. P. Waagepetersen. *Statistical inference and simulation for spatial point processes*. CRC press, 2003.

- J.-N. Ory and Y. Lemzeri. Efficiency and hybridization in cooperative banking: The French case. *Annals of Public and Cooperative Economics*, 83(2):215–250, 2012.
- L. Papi, E. Sarno, A. Zazzaro, et al. The geographical network of bank organizations: issues and evidence for Italy. *Handbook on the Geographies of Money and Finance*, pages 156–197, 2017.
- A. Picciotti, A. Bernardoni, M. Cossignani, and L. Ferrucci. Social cooperatives in Italy: Economic antecedents and regional distribution. *Annals of Public and Cooperative Economics*, 85(2):213–231, 2014.
- A. Plessis. Recherches récentes sur l’histoire bancaire de la France à l’université de Paris X-Nanterre. *Bulletin du Centre d’Histoire de la France contemporaine/Recherches contemporaines*, 6(1):7–20, 2000.
- A. F. Presbitero, G. F. Udell, and A. Zazzaro. The home bias and the credit crunch: A regional perspective. *Journal of Money, Credit and Banking*, 46:53–85, 2014.
- L. J. Radecki. The expanding geographic reach of retail banking markets. *Economic Policy Review*, 4(2), 1998.
- S. Reydet. Changement organisationnel dans une banque de détail et quête de légitimité: un processus complexe. In *Annales des Mines-Gérer et comprendre*, volume 137, pages 39–51. Cairn/Softwin, 2019.
- M. Roux. Introduction. entre valeurs et performances: les défis de la finance mutualiste. *Revue d’économie financière*, 2(134):11–20, 2019.
- P. Triboulet, S. Peres, M. Filippi, and S. Chantelot. Empreinte spatiale de la coopération agricole française. un éclairage par l’analyse des structures de localisation. *Revue d’économie régionale et urbaine*, 2(1):363–390, 2013.
- R. Waagepetersen and Y. Guan. Two-step estimation for inhomogeneous spatial point processes. *Journal of the Royal Statistical Society Series B: Statistical Methodology*, 71(3):685–702, 2009.
- Y. Zhang, R. Li, and C.-L. Tsai. Regularization parameter selections via generalized information criterion. *Journal of the American statistical Association*, 105(489):312–323, 2010.
- H. Zou and H. H. Zhang. On the adaptive elastic-net with a diverging number of parameters. *The Annals of Statistics*, 37(4):1733, 2009.