

Co-designing for the Triad: Design Considerations for Collaborative Decision-Making Technologies in Pediatric Chronic Care

Ray-Yuan Chung
raychung@uw.edu
University of Washington
Seattle, WA, USA

Jaime Snyder
jas1208@uw.edu
University of Washington
Seattle, WA, USA

Zixuan Xu
zinaxu7@uw.edu
University of Washington
Seattle, WA, USA

Daeun Yoo
daeunyoo@uw.edu
University of Washington
Seattle, WA, USA

Athena C. Ortega
athena.ortega@seattlechildrens.org
University of Washington
Seattle, WA, USA

Wanda Pratt
wpratt@uw.edu
University of Washington
Seattle, WA, USA

Aaron Wightman
Aaron.Wightman@seattlechildrens.org
University of Washington
Seattle, WA, USA

Ryan Hutson
rhutson1@jhmi.edu
Johns Hopkins University
Baltimore, MD, USA

Cozumel Pruette
csouthe1@jhmi.edu
Johns Hopkins University
Baltimore, MD, USA

Ari Pollack
ari.pollack@seattlechildrens.org
Seattle Children's Hospital
Seattle, WA, USA

Abstract

In pediatric chronic care, the triadic relationship among patients, caregivers, and healthcare providers introduces unique challenges for youth in managing their conditions. Diverging values, roles, and asymmetrical situational awareness across decision-maker groups often hinder collaboration and affect health outcomes, highlighting the need to support collaborative decision-making. We conducted co-design workshops with 6 youth with chronic kidney disease, 6 caregivers, and 7 healthcare providers to explore how digital technologies can be designed to support collaborative decision-making. Findings identify barriers across all levels of situational awareness, ranging from individual cognitive and emotional constraints, misaligned mental models, to relational conflicts regarding care goals. We propose design implications that support continuous decision-making practice, align mental models, balance caregiver support and youth autonomy development, and surface potential care challenges. This work advances the design of collaborative decision-making technologies that promote shared understanding and empower families in pediatric chronic care.

CCS Concepts

• **Human-centered computing** → **User studies; HCI design and evaluation methods.**

Keywords

Collaborative decision-making, Situational awareness, Participatory design, Pediatric chronic care

ACM Reference Format:

Ray-Yuan Chung, Jaime Snyder, Zixuan Xu, Daeun Yoo, Athena C. Ortega, Wanda Pratt, Aaron Wightman, Ryan Hutson, Cozumel Pruette, and Ari

Pollack. 2026. Co-designing for the Triad: Design Considerations for Collaborative Decision-Making Technologies in Pediatric Chronic Care. In *Extended Abstracts of the 2026 CHI Conference on Human Factors in Computing Systems (CHI EA '26)*, April 13–17, 2026, Barcelona, Spain. ACM, New York, NY, USA, 7 pages. <https://doi.org/10.1145/3772363.3798766>

1 Introduction

Collaborative decision-making is essential in pediatric chronic care, where it is beneficial for youth patients, family caregivers, and healthcare providers (HCP) to work together to make informed treatment choices [30, 43]. However, achieving this collaboration is difficult because decision-makers often hold divergent goals, priorities, and needs, which can create tensions and misalignment [1, 2, 30]. With 40% of U.S. school-aged youth living with at least one chronic condition [5], addressing ineffective collaborative decision-making is a pressing challenge that directly impacts short- and long-term health consequences [45]. Researchers in human-computer interaction (HCI) have increasingly recognized the importance of designing patient-centered decision-support systems that reflect the complex realities of living with chronic illness [9, 10, 23, 24, 34]. However, existing technologies are not suitable to support collaborative decision-making in pediatric chronic care because most focus on dyadic relationships (e.g., adult patient-provider) [15, 21], overlooking the need to synchronize priorities, establish shared understanding, and align treatment goals across multiple groups.

We explore these challenges through the lens of youth diagnosed with chronic kidney disease (CKD), a life-threatening condition characterized by medical complexity and intensive treatment requirements [32]. We draw on Endsley's team situational awareness

framework [13] to understand how decision-makers coordinate effectively when they maintain a shared understanding of goals, roles, and context. Situational awareness is defined as a three level framework: “*the perception of elements in the environment within a volume of time and space (Level 1), the comprehension of their meaning (Level 2), and the projection of their status in the near future (Level 3)*” [12]. In health contexts, breakdowns in situational awareness can result in miscommunication, undermine collective decision-making, and ultimately lead to poorer patient outcomes and experiences [27, 36]. Using the case of youth with CKD, we aim to demonstrate how situational awareness informs the understanding of triadic care relationships and expand the conceptual tools available for designing collaborative decision-making technologies. We explore the following research questions:

- (1) RQ 1: What barriers do patients, caregivers, and HCPs identify across situational awareness levels that impact collaborative decision-making in pediatric CKD care?
- (2) RQ 2: How can technologies be designed to support situational awareness needs among patients, caregivers, and HCPs to enable effective collaborative decision-making?

To address these questions, we conducted workshops with youth with CKD, caregivers, and pediatric HCPs to co-design speculative collaborative decision-making technologies. Together, we generated design concepts and iteratively refined features. This study contributes to HCI by (1) identifying barriers to collaborative decision-making in pediatric chronic care, and (2) proposing design guidelines for collaborative decision-making technologies that enhance unmet situational awareness needs across decision-makers.

2 Related Work

2.1 Collaborative Decision-making in Pediatric Care

We define *collaborative decision-making* in pediatric care as “*the engagement of youth in healthcare decision-making processes while adapting to their evolving cognitive and emotional capacities*” [30]. Collaborative decision-making emphasizes inclusive and equal participation, involving youth patients in age-appropriate ways and respecting their experiences and perspectives [25]. Despite increased recognition of youth patients’ roles, current interventions aimed at supporting collaborative decision-making have yielded inconsistent outcomes [2, 50]. Existing tools and programs often overemphasize parental perspectives [2] and provide limited insights into patient-caregiver-clinician dynamics [1, 50].

2.2 Decision-support Tools in Pediatric Care

In HCI, CSCW, and health informatics, there is growing recognition of the need to support patients and caregivers in making value-driven decisions throughout ongoing care [6, 18, 20, 35, 41, 52]. However, when viewed through the lens of team situational awareness, existing decision-support tools appear fragmented, addressing only isolated requirements—such as access to information [37], improved comprehension through communication [19, 41], or goal-setting [51]. Furthermore, many tools are designed for adult patients [11, 21, 38], or in-clinic use [3, 16, 17, 48, 49, 51]. These solutions

overlook youth who are developing decision-making capacity beyond clinical visits [10]. Together, these gaps highlight the need for decision-making technologies that better support pediatric chronic care by fostering shared situational awareness among all stakeholders.

3 Methods

3.1 Participants.

We conducted a total of seven 2-hour co-design workshops via Zoom, each including a single decision-maker group, with the goal of having 2 to 4 participants per session and reducing power imbalances. This study received ethical approval from the University of Washington Institutional Review Board and Seattle Children’s Hospital Ethics Committee. All participants were recruited through convenience sampling from a single large children’s hospital in the United States either in person during clinic visits, or from the patient portal. Eligibility criteria included youth aged 12–25 years with pre-dialysis CKD stages 3–5, and their caregivers. HCPs were eligible if they have experience working in pediatric nephrology. Nineteen participants were recruited, including 6 youth (mean age 15.3 years, range: 13–17), 6 caregivers, and 7 HCPs (including physicians, a nurse, a physician assistant, a dietitian, and a social worker). Demographic characteristics of participants are summarized in Appendix 1.

3.2 Co-design Workshop Procedure.

Workshops began by introducing the concept of collaborative decision-making and the potential role of technology in improving decision-making processes. Participants reflected on past experiences navigating medical decisions, responding to prompts tailored to their roles. Participants then completed two design activities (described below), followed by a group discussion on how their feature suggestions align with values.

3.2.1 Vignette-based Role-Play for Values Elicitation. Participants were introduced to a visual storyboard (Appendix 2) portraying fictional characters navigating three phases of CKD treatment plans after a CKD diagnosis: an initial clinic visit, experiences outside of clinic, and a follow-up clinic visit. The goal of the storyboard was to prompt discussion around values, misaligned goals, and communication gaps by capturing the context- and time-dependent nature of patient values in relation to concrete events, similar to other uses of patient journey mapping [4] and scenario-based values elicitation [29]. The ecological validity of the vignette was vetted by two pediatric nephrologists and two patient advisory board members. Participants were asked to annotate the storyboard with pre-defined prompts, using digital sticky notes to identify key barriers of each character (patient, caregiver, HCP) for effective decision-making.

3.2.2 “Magical Tool” Ideation. Building on insights from the storyboard, participants were invited to design a “magical tool” that could alleviate pain points identified in the previous exercise and enhance collaborative decision-making. This speculative design exercise is inspired by Iacucci et al. [22], to encourage open-ended, creative ideation before translating concepts into concrete system features. Participants described their “magical tool” using text boxes or sketches on Google Slides. Reflective prompts were given, such

as: “How would this tool help you express your values or concerns?”, and “What kinds of information should the tool display?”. Appendix 3 shows a magic tool example sketched by one of the participants.

3.3 Data Analysis.

Transcripts, storyboards, and magic tool prototypes were securely stored on a HIPAA-compliant shared drive. All data were anonymized using participant identifiers and decision-maker categories. A six-step mixed inductive–deductive thematic analysis [7] was used to examine textual and visual data collected during the study, including workshop transcripts and participant-generated artifacts. In the inductive phase, four researchers created affinity diagramming [28], organizing participant quotes excerpted from storyboards and the magic tool transcripts. Each researcher independently reviewed the quotes and then collaboratively grouped them under preliminary codes. In the deductive phase, two researchers mapped these themes onto the Situational Awareness framework [12] refining through multiple rounds of discussion with the larger research group.

4 Results

4.1 Perception: Gathering Information about Illness, Treatment, and Options

4.1.1 Barriers for Perception. HCPs described that some pediatric patients seemed detached and uninterested during visits, impacting discussions about their care. However, caregivers and patients clarified that this behavior often stems from **emotional barriers**. Patient 5 drew on their own experience to suggest that the storyboard character’s lack of engagement likely reflects the fear and anxiety of a new diagnosis: “Assuming [the patient] just got diagnosed with [CKD], he’s probably concerned with fear, anxiety and nervousness.”. In addition, **limited time** and **cognitive constraints** were frequently identified as barriers to receiving relevant information during clinic visits. Both patients and caregivers emphasized the overwhelming nature of the first appointment, where large volumes of new information are presented in a short period of time. Many described struggling to retain new information while simultaneously trying to formulate questions under time pressure. As Caregiver 1 explained, “it’s really hard when in the doctor’s office to remember all of the things [and] to share the concerns that we had. Because oftentimes the doctor is trying to give us information that we need or ask me specific questions [about] information that they need from us.”

4.1.2 Envisioning Support for Perception. Some HCPs suggested tools to support in-clinic communication, such as artificial intelligence (AI) note-taking software that **capture key information from clinical conversations**, freeing families to focus on communication rather than transcription. However, many patients and caregivers envisioned support beyond the clinic, such as immersive tools like Virtual Reality (VR) and gaming environments that allow them to practice conversations and rehearse clinical scenarios to **prepare for clinical interactions**. Caregiver 2 suggested role-playing simulations: “A role play or like a simulation [patients] could play, act, talk and work with the doctor, so they would be prepared.”. In addition, patients and caregivers alike envisioned tools that **support anxiety management and encourage self-expression**. For

example, Caregiver 3 proposed an anonymous messaging feature: “Patients could ask questions anonymously so they don’t feel the pressure ... because sometimes [patients] think their questions are dumb.”.

4.2 Comprehension: Integrating and Interpreting Information

4.2.1 Barriers for Comprehension. Patients and caregivers were expected to absorb extensive treatment, medication, exercise and dietary information within a single visit, resulting in an **information overload** that compromises their ability to process critical information. As Patient 2 shared, “There is a lot of things to process, like all the new meds you might take, the new schedules and everything ... appointments can be very tiring and overwhelming”. Compounding this challenge, patients and caregivers often struggled with **limited mental models** about CKD and its implications, which made it difficult to interpret lifestyle options and trade-offs. Here, we define **mental models** as the background knowledge and contextual understanding that shape how individuals interpret information and make sense of medical guidance, which can vary critically across individuals [14]. Dietary changes were a particularly frequent source of concern. While HCPs provide extensive recommendations, these guidelines often clash with families’ existing mental models of how their children eat and live, creating barriers to adherence. As Caregiver 6 mentioned: “Is there going to be like, taking away 90% of the stuff [the patient] likes to eat or none of the stuff they like to eat? ... [I’m] thinking of what to ask for types of food [the patient] needs to eat and types they needs to stay away from.”.

4.2.2 Envisioning Support for Comprehension. Participants across groups envisioned tools that **translate complex medical information into accessible, visually rich formats** tailored to non-experts. HCP 2 reimagined patient education materials using visual media: “Maybe turning some of the patient education materials into short videos, animated or in the style of social media or TikTok, where it’s approachable for teenagers.”. Furthermore, consensus across groups highlighted a need for tools that **scaffold lifestyle change alternatives and provide personalized feedback** to help families integrate treatment recommendations into daily life. Caregiver 2 proposed a “Diet and Lifestyle Recommendation Options Navigator”: “You could put different foods up there and [users] could choose the good foods and recognize bad foods. And so the more good foods they chose, the more points they would get.”.

4.3 Projection: Linking Treatment Plans to Impact

4.3.1 Barriers for Projection. Patients and caregivers faced challenges in **anticipating how treatment would affect routines and social lives**. Patient 5 reflected on how understanding the long-term implications earlier would have influenced their behavior: “I would probably take the information more seriously ... [if I understood] listening and doing those activities that are recommended to me by my doctor would help me live longer and live a much more healthier life.”. For some families, caregiver presence during clinic visits became a barrier to open communication, which indirectly hindered the HCP’s ability to comprehend patients’ struggles and project actionable plans. These dynamics sometimes lead to **patient-caregiver**

conflicts, which surfaces as a notable barrier when patients' concerns and caregivers' priorities do not fully align. Some patients value having private conversations with the medical team to express their perspectives more freely, as Patient 4 expressed: *"I would probably ask for a more one-on-one experience, so that I don't feel like someone else is watching. I'm about to turn [into] an adult, I have all this stuff going on, and I don't know what this is about. ... as patients get older, they'll probably have more of a louder voice and care more about what they want."* Only a few caregivers acknowledged this tension between providing parental support and respecting patient autonomy. Caregiver 5 acknowledged the importance of creating space for patients' voices, but noted that this transition often takes time: *"I need to probably sit back and not talk as much and let [my child] speak up for themselves, because I've always spoken for them. So all of a sudden, it's [hard to realize] they can actually speak for themselves [as a teenager]."*

4.3.2 Envisioning Support for Projection. Participants across groups integrated **goal-setting and projections of potential challenges** features in their magic tools. HCP 6 suggested a game-like environment where users could explore and prepare for upcoming treatment challenges: *"A game that [users] could put their goals in to manage med management, salt counting, etc."* In addition, collaborative decision-making technologies should be designed for patients, caregivers, and, in some cases, HCPs to support collaboration and reduce power imbalances in decision-making. Caregivers envisioned tools that **facilitate shared ownership of care via collaborative features** to make patient preferences visible and actionable. Caregiver 6 suggested a feedback loop for sharing preferences: *"Apps could have a star [review system], like 5 stars, 'It was good.' And then that information could go to the parent, so then [they] know this is [a recipe] I should cook again."*

5 DISCUSSION

5.1 Design Considerations

Grounded in these insights, we propose a set of design principles for future collaborative decision-making technologies in healthcare settings.

Support decision-making practice outside-of-clinic. Patients and caregivers struggled to access and absorb relevant information during clinic visits because of limited time, cognitive overload, and emotional barriers. Practice-based tools could allow them to prepare prior to appointments by rehearsing "if-then" treatment-related decisions for scenarios they may not have previously considered. Many technologies are designed primarily for in-clinic use [3, 37, 48], offering limited support for the broader experience of navigating decisions across home, school, social contexts and clinic visits. Prior work on augmented reality, virtual agents, and gaming systems shows potential in supporting mental barriers [31], address health knowledge gaps [44], and develop self-management skills [8].

Aligning mental models through accessible visualizations. Patients and caregivers can enter clinical encounters with misaligned mental models of CKD, hindering their ability to interpret treatment recommendations, anticipate trade-offs, and integrate clinical guidance into daily life. These challenges align with prior

findings on mismatched interpretations arising from differing mental models [13, 36]. Workshop participants across decision-maker groups suggested dashboards that visualize clinical metrics in accessible formats, tools that summarize and contextualize risks, and patient education materials redesigned as animations or social media-style content to better engage adolescents. These ideations align with prior systems that translate complex information into accessible formats, such as animated educational systems for youth [44] and approaches that convert academic papers into design cards [42].

Enabling shared ownership of care. Youth patients expressed a desire to gradually assume more responsibility for their care, but many struggled to exercise agency, leading caregivers to fill the gap. This dynamic is further complicated by the caregivers' own difficulty in relinquishing decision-making authority. Mismatched expectations about when and how caregivers should participate versus when patients should have greater voice often created friction in collaborative decision-making, reflecting prior work [1, 20]. At the same time, it is important to account for patients' developmental stages when designing technologies to support evolving patient-caregiver dynamics [46]. Insights from workshops suggest that multi-decision-maker interaction features can help align priorities and support role negotiation, echoing prior approaches such as interactive storyboards [19] and AI chatbots [41] that facilitate communication and shared understanding in pediatric care.

Supporting anticipation of potential challenges. Patients and families need support in anticipating how treatment decisions affect daily routines and social lives, where misaligned goals with HCPs often emerge. Participants across decision-maker groups envisioned technologies that emphasize goal-setting and context-aware feedback to foster shared understanding among patients, caregivers, and HCPs. Prior work supports this approach: goal-setting tools have been shown to improve alignment and collaborative planning for pediatrics [51], while goal-directed features can help patients prepare for and engage more effectively in clinical interactions [39].

5.2 Future Directions

We plan to integrate our design considerations into a refined prototype and conduct a next round of iteration involving a larger-scale, multi-site user study for evaluation. While our current work focused on CKD as a representative chronic condition, the alignment of our preliminary results with prior work [8, 20] suggests broader transferability. We invite the HCI community to further explore how these findings might be generalized to other complex healthcare contexts, such as mental health [40, 47] or long-term care [26, 33]—where caregivers are also heavily involved in triadic decision-making—to further validate and extend the impact of our collaborative decision-making framework.

6 CONCLUSION

Our findings emphasize the value of designing collaborative decision-making technologies grounded in situational awareness theory and tailored to the unique dynamics of pediatric chronic care. Supporting collaborative decision-making requires more than simply providing information or helping patients interpret data. Technologies should equip users to prepare for clinical interactions, align

mental models of clinical information, balance caregiver support with youth autonomy, and facilitate goal alignment and anticipation of challenges in care. By surfacing these insights, this work provides a preliminary design framework for collaborative decision-making technologies that promote shared understanding and empower families within the complex ecosystem of pediatric chronic care.

Acknowledgments

This research was supported by the National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK) of the National Institutes of Health (NIH) under Award Number R01DK131134. The content is solely the responsibility of the authors and does not necessarily represent the official views of the NIH. We extend our sincere gratitude to the patients, caregivers, and healthcare providers who shared their time and expertise during our workshops. We also thank the two members of the Kids CoLab Advisory Board who reviewed study materials during pilot testing, as well as Megan Kelton, Kelsey Brace, and Stella Isarankura for their assistance with recruitment at Seattle Children's Hospital.

References

- [1] Laura Bolland, Ian D. Graham, France Légaré, Krystina Lewis, Janet Jull, Allyson Shephard, Margaret L. Lawson, Alexandra Davis, Audrey Yameogo, and Dawn Stacey. 2019. Barriers and facilitators of pediatric shared decision-making: a systematic review. *Implementation Science* 14, 1 (Dec. 2019), 7. doi:10.1186/s13012-018-0851-5
- [2] Inga Bosch, Hermann Siebel, Maïke Heiser, and Laura Inhestern. 2025. Decision-making for children and adolescents: a scoping review of interventions increasing participation in decision-making. *Pediatric Research* 97, 6 (May 2025), 1840–1854. doi:10.1038/s41390-024-03509-5
- [3] Diogo Branco, Margarida Moteiro, Raquel Bouça-Machado, Rita Miranda, Tiago Reis, Élia Decoroso, Rita Cardoso, Joana Ramalho, Filipa Rato, Joana Malheiro, Diana Miranda, Verónica Caniça, Filipa Pona-Ferreira, Daniela Guerreiro, Mariana Leitão, Alexandra Saúde Braz, Joaquim J Ferreira, and Tiago Guerreiro. 2024. Co-designing Customizable Clinical Dashboards with Multidisciplinary Teams: Bridging the Gap in Chronic Disease Care. In *Proceedings of the CHI Conference on Human Factors in Computing Systems*. ACM, Honolulu, HI, USA, 1–18. doi:10.1145/3613904.3642618
- [4] Michael Bui, Kira Oberschmidt, and Christiane Grünloh. 2023. Patient Journey Value Mapping: Illustrating values and experiences along the patient journey to support eHealth design. In *Mensch und Computer 2023*. ACM, Rapperswil Switzerland, 49–66. doi:10.1145/3603555.3603558
- [5] Centers for Disease Control and Prevention. 2024. Managing Chronic Health Conditions. <https://www.cdc.gov/school-health-conditions/chronic-conditions/index.html>. Accessed: 2025-09-11.
- [6] Yoon Jeong Cha, Arpita Saxena, Alice Wou, Joyce Lee, Mark W Newman, and Sun Young Park. 2022. Transitioning Toward Independence: Enhancing Collaborative Self-Management of Children with Type 1 Diabetes. In *Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems (CHI '22)*. Association for Computing Machinery, New York, NY, USA, 1–17. doi:10.1145/3491102.3502055
- [7] Victoria Clarke and Virginia Braun. 2014. *Thematic Analysis*. Springer, New York, NY, USA, 1947–1952. doi:10.1007/978-1-4614-5583-7_311
- [8] Rieks op den Akker, Randy Klaassen, Kim Bul, Pamela M. Kato, Gert-Jan van der Burg, and Pierpaolo di Bitonto. 2017. Let Them Play: Experiences in the Wild with a Gamification and Coaching System for Young Diabetes Patients. In *Proceedings of the 11th EAI International Conference on Pervasive Computing Technologies for Healthcare (PervasiveHealth '17)*. Association for Computing Machinery, New York, NY, USA, 409–418. doi:10.1145/3154862.3154931
- [9] Julia C. Dunbar, Emily Bascom, Wanda Pratt, Jaime Snyder, Jodi M. Smith, and Ari H. Pollack. 2022. My Kidney Identity: Contextualizing pediatric patients and their families kidney transplant journeys. *Pediatric Transplantation* 26, 7 (Nov. 2022), e14343. doi:10.1111/petr.14343
- [10] Julia C. Dunbar, Wanda Pratt, Emily Bascom, Cara Currier, Joseph William Tan Garcia, Jodi Smith, Jaime Snyder, and Ari H Pollack. 2024. It's About the Journey - Capturing Stories of the Fluctuating Experiences of Youth Kidney Transplant Patients. *Proceedings of the ACM on Human-Computer Interaction* 8, CSCW1 (April 2024), 1–26. doi:10.1145/3653704
- [11] A. Eberhart, B. Slogeris, S.C. Sadreameli, and M.S. Jassal. 2019. Using a human-centered design approach for collaborative decision-making in pediatric asthma care. *Public Health* 170 (May 2019), 129–132. doi:10.1016/j.puhe.2019.03.004
- [12] Mica R. Endsley. 1988. Design and Evaluation for Situation Awareness Enhancement. *Proceedings of the Human Factors Society Annual Meeting* 32, 2 (1988), 97–101. doi:10.1177/154193128803200221
- [13] Mica R. Endsley. 2016. *Designing for Situation Awareness: An Approach to User-Centered Design, Second Edition* (2 ed.). CRC Press, Boca Raton. doi:10.1201/b11371
- [14] Jenna M. Evans and G. Ross Baker. 2012. Shared mental models of integrated care: aligning multiple stakeholder perspectives. *Journal of Health Organization and Management* 26, 6 (Oct. 2012), 713–736. doi:10.1108/1477261211276989
- [15] XiaoRui Guo, Liang Xiao, Xinyu Liu, Jianxia Chen, Zefang Tong, and Ziji Liu. 2025. Enhancing Doctor-Patient Shared Decision-Making: Design of a Novel Collaborative Decision Description Language. *Journal of Medical Internet Research* 27 (March 2025), e55341. doi:10.2196/55341
- [16] Shefali Haldar, Maher Khelifi, Sonali R. Mishra, Calvin Apodaca, Erin Beneteau, Ari H. Pollack, and Wanda Pratt. 2020. Designing Inpatient Portals to Support Patient Agency and Dynamic Hospital Experiences. *Journal of the American Medical Informatics Association* 27, 12 (2020), 1850–1861. doi:10.1093/jamia/ocaa209
- [17] Shefali Haldar, Yoojung Kim, Sonali R. Mishra, Andrea L. Hartzler, Ari H. Pollack, and Wanda Pratt. 2020. The Patient Advice System: A Technology Probe Study to Enable Peer Support in the Hospital. *Proceedings of the ACM on Human-Computer Interaction* 4, CSCW2 (Oct. 2020), 1–23. doi:10.1145/3415183
- [18] Matthew K. Hong, Clayton Feustel, Meeshu Agnihotri, Max Silverman, Stephen F. Simoneaux, and Lauren Wilcox. 2017. Supporting Families in Reviewing and Communicating about Radiology Imaging Studies. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems (CHI '17)*. Association for Computing Machinery, New York, NY, USA, 5245–5256. doi:10.1145/3025453.3025754
- [19] Matthew K. Hong, Udaya Lakshmi, Thomas A. Olson, and Lauren Wilcox. 2018. Visual ODLs: Co-Designing Patient-Generated Observations of Daily Living to Support Data-Driven Conversations in Pediatric Care. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (CHI '18)*. Association for Computing Machinery, New York, NY, USA, 1–13. doi:10.1145/3173574.3174050
- [20] Matthew K. Hong, Lauren Wilcox, Daniel Machado, Thomas A. Olson, and Stephen F. Simoneaux. 2016. Care Partnerships: Toward Technology to Support Teens' Participation in Their Health Care. *Proceedings of the SIGCHI conference on human factors in computing systems*. CHI Conference 2016 (May 2016), 5337–5349. doi:10.1145/2858036.2858508
- [21] William C. Hsu, Ka Hei Karen Lau, Ruyi Huang, Suzanne Ghiloni, Hung Le, Scott Gilroy, Martin Abrahamson, and John Moore. 2016. Utilization of a Cloud-Based Diabetes Management Program for Insulin Initiation and Titration Enables Collaborative Decision Making Between Healthcare Providers and Patients. *Diabetes Technology & Therapeutics* 18, 2 (Feb. 2016), 59–67. doi:10.1089/dia.2015.0160
- [22] Giulio Iacucci, Kari Kuutti, and Mervi Ranta. 2000. On the move with a magic thing: role playing in concept design of mobile services and devices. In *Proceedings of the 3rd conference on Designing interactive systems: processes, practices, methods, and techniques*. ACM, New York City New York USA, 193–202. doi:10.1145/347642.347715
- [23] Maia Jacobs, James Clawson, and Elizabeth D. Mynatt. 2016. A Cancer Journey Framework: Guiding the Design of Holistic Health Technology. In *Proceedings of the 10th EAI International Conference on Pervasive Computing Technologies for Healthcare (PervasiveHealth '16)*. Association for Computing Machinery, New York, NY, USA, 1–8. doi:10.4108/eai.16-5-2016.2263333
- [24] Maia L. Jacobs, James Clawson, and Elizabeth D. Mynatt. 2014. My journey compass: a preliminary investigation of a mobile tool for cancer patients. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '14)*. Association for Computing Machinery, New York, NY, USA, 663–672. doi:10.1145/2556288.2557194
- [25] Aviva L. Katz, Sally A. Webb, Committee on Bioethics, Robert C. Macauley, Mark R. Mercurio, Margaret R. Moon, Alexander L. Okun, Douglas J. Opel, and Mindy B. Statter. 2016. Informed Consent in Decision-Making in Pediatric Practice. *Pediatrics* 138, 2 (aug 2016), e20161485. doi:10.1542/peds.2016-1485
- [26] Luzan Koster, Hilde Verbeek, Bernadette de Boer, and Jan P. H. Hamers. 2021. It takes three to tango: An ethnography of triadic involvement of residents, families and nurses in long-term dementia care. *Health Expectations* 24, 4 (2021), 1305–1315. doi:10.1111/hex.13224
- [27] Diana Kusunoki, Aleksandra Sarcevic, Zhan Zhang, and Maria Yala. 2015. Sketching Awareness: A Participatory Study to Elicit Designs for Supporting Ad Hoc Emergency Medical Teamwork. *Computer Supported Cooperative Work (CSCW)* 24, 1 (Feb. 2015), 1–38. doi:10.1007/s10606-014-9210-5
- [28] Jonathan Lazar, Jinjuan Heidi Feng, and Harry Hochheiser. 2017. *Research Methods in Human-Computer Interaction* (2nd ed.). Morgan Kaufmann, Cambridge, MA. doi:10.1016/B978-0-12-805390-4.00001-3
- [29] Kung Jin Lee, Wendy Roldan, Tian Qi Zhu, Harkiran Kaur Saluja, Sungmin Na, Britnie Chin, Yilin Zeng, Jin Ha Lee, and Jason Yip. 2021. The Show Must Go On: A Conceptual Model of Conducting Synchronous Participatory Design With Children Online. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*. ACM, Yokohama Japan, 1–16. doi:10.1145/3411764.3445715

- [30] Victoria A. Miller. 2018. Involving Youth With a Chronic Illness in Decision-making: Highlighting the Role of Providers. *Pediatrics* 142, Suppl 3 (Nov. 2018), S142–S148. doi:10.1542/peds.2018-0516D
- [31] Gloria Mittmann, Adam Barnard, Ina Krammer, Diogo Martins, and João Dias. 2022. LINA - A Social Augmented Reality Game around Mental Health, Supporting Real-world Connection and Sense of Belonging for Early Adolescents. *Proc. ACM Hum.-Comput. Interact.* 6, CHI PLAY, Article 242 (Oct. 2022), 21 pages. doi:10.1145/3549505
- [32] National Institute of Diabetes and Digestive and Kidney Diseases. 2022. Kidney Disease in Children. National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK), National Institutes of Health (NIH). <https://www.niddk.nih.gov/health-information/kidney-disease/children> Accessed: 2025-09-07.
- [33] Katharina Niedling, Stefanie Richter, and Kerstin Hämel. 2025. Triadic relationships in home care nursing: an integrative review of the views and experiences of older couples and nurses. *BMC Nursing* 24, 1 (2025), 671. doi:10.1186/s12912-025-03378-1 Published 2025 Jun 27.
- [34] Sarah Nikkhah, Swaroop John, Krishna Supradeep Yalamarti, Emily L. Mueller, and Andrew D. Miller. 2022. Family Care Coordination in the Children's Hospital: Phases and Cycles in the Pediatric Cancer Caregiving Journey. *Proceedings of the ACM on Human-Computer Interaction* 6, CSCW2 (Nov. 2022), 1–30. doi:10.1145/3555187
- [35] Sun Young Park and Yunan Chen. 2017. Patient Strategies as Active Adaptation: Understanding Patient Behaviors During an Emergency Visit. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems*. ACM, Denver Colorado USA, 880–892. doi:10.1145/3025453.3025978
- [36] Ari H Pollack, Sonali R Mishra, Calvin Apodaca, Maher Khelifi, Shefali Haldar, and Wanda Pratt. 2020. Different roles with different goals: Designing to support shared situational awareness between patients and clinicians in the hospital. *Journal of the American Medical Informatics Association: JAMIA* 28, 2 (Nov. 2020), 222–231. doi:10.1093/jamia/ocaa198
- [37] James D. Ralston, Irl B. Hirsch, James Hoath, Mary Mullen, Allen Cheadle, and Harold I. Goldberg. 2009. Web-based collaborative care for type 2 diabetes: a pilot randomized trial. *Diabetes Care* 32, 2 (Feb. 2009), 234–239. doi:10.2337/dc08-1220
- [38] Kristin Lie Romm, Mari Skoge, Elizabeth Ann Barrett, Lars-Christian Berentzen, Dagfinn Bergsager, Pål Fugelli, Thomas Bjella, Erlend Strand Gardsjord, Kristine Kling, Sindre Hembre Kruse, Kari Jorunn Kværner, Ingrid Melle, Erlend Mork, Henrik Myhre Ihler, Eline Borger Rognli, Carmen Simonsen, Tor Gunnar Værnes, and Sofie Ragnhild Aminoff. 2025. A Mobile Health Intervention to Support Collaborative Decision-Making in Mental Health Care: Development and Usability. *JMIR Formative Research* 9 (Jan. 2025), e57614. doi:10.2196/57614
- [39] Jessica Schroeder, Ravi Karkar, Natalia Murinova, James Fogarty, and Sean A. Munson. 2020. Examining Opportunities for Goal-Directed Self-Tracking to Support Chronic Condition Management. *Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.* 3, 4, Article 151 (Sept. 2020), 26 pages. doi:10.1145/3369809
- [40] F. Schuster, F. Holzhüter, S. Heres, and J. Hamann. 2021. 'Triadic' shared decision making in mental health: Experiences and expectations of service users, caregivers and clinicians in Germany. *Health Expectations* 24, 2 (2021), 507–515. doi:10.1111/hex.13192
- [41] Woosuk Seo, Young-Ho Kim, Ji Eun Kim, Megan Tao Fan, Mark S. Ackerman, Sung Won Choi, and Sun Young Park. 2025. Enhancing Pediatric Communication: The Role of an AI-Driven Chatbot in Facilitating Child-Parent-Provider Interaction. In *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems*. ACM, Yokohama Japan, 1–16. doi:10.1145/3706598.3713134
- [42] Donghoon Shin, Lucy Lu Wang, and Gary Hsieh. 2024. From Paper to Card: Transforming Design Implications with Generative AI. In *Proceedings of the CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '24). Association for Computing Machinery, New York, NY, USA, Article 554, 19 pages. doi:10.1145/3613904.3642055
- [43] Dawn Stacey, France Légaré, Laura Boland, Krystina B. Lewis, Marie-Chantal Loiselle, Lauren Hoefel, Mirjam Garvelink, and Annette O'Connor. 2020. 20th Anniversary Ottawa Decision Support Framework: Part 3 Overview of Systematic Reviews and Updated Framework. *Medical Decision Making* 40, 3 (April 2020), 379–398. doi:10.1177/0272989X20911870
- [44] Ian Steenstra, Prasanth Murali, Rebecca B. Perkins, Natalie Joseph, Michael K Paasche-Orlow, and Timothy Bickmore. 2024. Engaging and Entertaining Adolescents in Health Education Using LLM-Generated Fantasy Narrative Games and Virtual Agents. In *Extended Abstracts of the CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI EA '24). Association for Computing Machinery, New York, NY, USA, Article 126, 8 pages. doi:10.1145/3613905.3650983
- [45] Allison Tong, Rachael Morton, Kirsten Howard, Steven McTaggart, and Jonathan C. Craig. 2011. "When I had my transplant, I became normal." Adolescent perspectives on life after kidney transplantation. *Pediatric Transplantation* 15, 3 (May 2011), 285–293. doi:10.1111/j.1399-3046.2010.01470.x
- [46] Tammy Toscos, Kay Connelly, and Yvonne Rogers. 2012. Best intentions: health monitoring technology and children. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, Austin Texas USA, 1431–1440. doi:10.1145/2207676.2208603
- [47] R. Tuijt, J. Rees, R. Frost, J. Wilcock, J. Manthorpe, and G. Rait. 2021. Exploring how triads of people living with dementia, carers and health care professionals function in dementia health care: A systematic qualitative review and thematic synthesis. *Dementia (London)* 20, 3 (2021), 1080–1104. doi:10.1177/1471301220915068
- [48] Jan Walker, Suzanne Leveille, Gila Kriegel, Chen-Tan Lin, Stephen K. Liu, Thomas H. Payne, Kendall Harcourt, Zhiyong Dong, Patricia Fitzgerald, Matthew Germak, Lawrence Markson, Sara L. Jackson, Hannah Shucard, Joann G. Elmore, and Tom Delbanco. 2021. Patients Contributing to Visit Notes: Mixed Methods Evaluation of OurNotes. *Journal of Medical Internet Research* 23, 11 (Nov. 2021), e29951. doi:10.2196/29951
- [49] Nadir Weibel, Colleen Emmenegger, Jennifer Lyons, Ram Dixit, Linda Hill, and James Hollan. 2013. Interpreter-Mediated Physician-Patient Communication: Opportunities for Multimodal Healthcare Interfaces. In *Proceedings of the 7th International Conference on Pervasive Computing Technologies for Healthcare (PervasiveHealth '13)*. Association for Computing Machinery, New York, NY, USA, 25–32. doi:10.4108/icst.pervasivehealth.2013.252026
- [50] Kirk D. Wyatt, Betsy List, William B. Brinkman, Gabriela Prutsky Lopez, Noor Asi, Patricia Erwin, Zhen Wang, Juan Pablo Domecq Garces, Victor M. Montori, and Annie LeBlanc. 2015. Shared Decision Making in Pediatrics: A Systematic Review and Meta-analysis. *Academic Pediatrics* 15, 6 (Nov. 2015), 573–583. doi:10.1016/j.acap.2015.03.011
- [51] Yiran Zhao, Yoojung Kim, Calvin Apodaca, Regina Casanova-Perez, Shefali Haldar, Sonali R. Mishra, Julia C. Dunbar, Ari Pollack, and Wanda Pratt. 2021. Supporting Goal-Based Collaboration for Hospitalized Children. *Proceedings of the ACM on Human-Computer Interaction* 5, CSCW1 (April 2021), 1–22. doi:10.1145/3449238
- [52] Haining Zhu, Joanna Colgan, Madhu Reddy, and Eun Kyoung Choe. 2016. Sharing Patient-Generated Data in Clinical Practices: An Interview Study. *AMIA Annual Symposium Proceedings* 2016 (2016), 1303–1312. doi:10.1145/2858036.2858204


A Participant demographics

Table 1: Participant demographics from the Co-Design Workshops.


ID	Age	Sex	Role	YE in PN (Total Clinical YE)
C1	14	F	Caregiver	4
C2	17	F	Caregiver	10
C3	17	M	Caregiver	7
C4	14	F	Caregiver	1
C5	14	F	Caregiver	14
C6	16	F	Caregiver	16
P1	13	F	Patient	7
P2	14	F	Patient	10
P3	17	F	Patient	14
P4	16	M	Patient	16
P5	17	M	Patient	12
P6	15	M	Patient	15
H1	—	M	HCP (Dietitian)	6 (10)
H2	—	F	HCP (Social Worker)	5 (15)
H3	—	F	HCP (Physician Assistant)	8 (10)
H4	—	F	HCP (MD - Fellow)	1 (4)
H5	—	M	HCP (MD)	16 (16)
H6	—	F	HCP (MD)	3 (6)
H7	—	F	HCP (Nurse)	24 (24)

C = caregivers; P = patients; H = healthcare providers;
 Age = for caregivers, the age of their youth patient (i.e., their child); for patients, the patient's own age;
 YE in PN = for caregivers/patients, years since CKD diagnosis; for HCPs, years of experience in pediatric nephrology;
 Total Clinical YE = total years of clinical experience (clinicians only); "—" indicates not applicable.

B Study Materials



Appendix 2: Vignette storyboard used for role-playing and values elicitation during co-design sessions.



Appendix 3: Example sketch of a proposed magical tool from the co-design workshop. The tool is a mobile app with features to support gathering and contextualizing dietary information, and future planning.